

Release guide

# **Release guide**

WebGIS 2023 WebGIS 2023 Update 1

Version 16.8.0 Version 16.8.1 Updated July 2024



# Contents

| Release guide 1   |
|---|
| WebGIS 2023 1   |
| WebGIS 2023 Update 11   |
| About this release  |
| GeoMedia WebMap6  |
| Geospatial Portal6  |
| Geospatial SDI6   |
| New technology (16.8.0)7  |
| GeoMedia WebMap7  |
| Extensive improvements to 64-bit route service and Location Utility Web Service7  |
| GeoMedia WebMap service source metadata caching10   |
| Publish GeoWorkspace with Index Feature Cache attached to WebMap service source metadata                                    |
| Managing instances with Administration Console Command Line Interface   |
| Publish and handle multiple WMS styles13  |
| GeoJSON output format for GeoMedia WebMap WMS Feature Info response14   |
| Easier and faster use of custom legend icons and auto-generated thematic legend graphics while publishing WebMap services15 |
| AltitudeMode KML for WebMap WFS17   |
| Custom stored queries for WFS 2.018   |
| New database type for GeoMedia WebMap service source metadata: GeoPackage 19  |
| Simpler workflows for product installation and configuration  |
| GeoMedia WebMap Mobile and Mobile Publisher22   |
| Enhanced zone assignment  |
| Turn on/off Google Search for Google Base Map in Mobile Publisher work  |
| Enhanced UI of WebMap Mobile Publisher for bulk configuration changes   |
| Improved search configuration UI in Mobile Publisher  |
| Snapping in geometry edition27  |
| Adjustable tap tolerance  |
| Copying of read-only attributes to clipboard29  |
| Grouping of feature actions button  |



|   | Notification about feature unavailability  | . 30 |
|---|--|------|
|   | Language selection   | . 31 |
|   | Visual enhancements of user interface  | . 32 |
|   | Synchronization user experience Improvements   | . 33 |
|   | Select cache type (raster/vector) on clearance in GeoMedia WebMap Mobile app                             | . 37 |
|   | Handle secured WFS-T services in GeoMedia WebMap Mobile  | . 38 |
|   | Managing Raster GeoPackage in GeoMedia WebMap Mobile Publisher   | . 39 |
|   | Thematic Vector Layer in Mobile Publisher  | . 40 |
|   | Gather logs in WebMap Mobile app   | . 41 |
| G | eospatial Portal and Consumer Portal   | . 41 |
|   | Google Street View in Geospatial Portal  | . 41 |
|   | Google Search Places in Geospatial Portal  | . 43 |
|   | More custom feature style capabilities in Geospatial Portal  | . 44 |
|   | Hot swapping capabilities to LUWS  | . 46 |
|   | Manage WMS Feature Info Format in Geospatial Portal  | . 47 |
|   | Insert and update WFS text features in Geospatial Portal   | . 48 |
|   | CSV   separator   in Portal   exports  | . 49 |
|   | Consumer Portal Feature Info enhancements  | . 50 |
|   | Ability to run Feature Info and Street View simultaneously in Consumer Portal                            | . 53 |
|   | Remember sizes and positions of Consumer Portal windows  | . 54 |
|   | Customize starting map range in Consumer Portal  | . 55 |
|   | Dedicated window for legend hover  | . 56 |
|   | Slight visual enhancements in Consumer Portal  | . 57 |
|   | New warning notification in Consumer Portal  | . 57 |
|   | Display non-starting workspace at Consumer Portal launch   | . 58 |
|   | Geospatial Portal Consumer handles secured WMS with Authorization  | . 59 |
|   | Extended variants for Remember Feature Info Tab feature of Consumer Portal                               | . 59 |
|   | Improved performance of Consumer Portal loading time   | . 61 |
|   | Portal SDK: Workspace update from API  | . 62 |
|   | Consumer Portal SDK: New code examples and features to customize Consumer Portal layout and its behavior | . 63 |
| A | dministration Console  |      |
|   | Prevent sending unsupported searches to Consumer Portal instances  | . 65 |
|   | Improvements to LUWS Search Configuration and usage  | . 66 |
|   |  |      |



| Information about instance version                                     |    |
|--|----|
| Filtering instances list in Administration Console                     | 69 |
| Administration Console Diagnostics                                     | 70 |
| New technology (16.8.1)  |    |
| GeoMedia WebMap  | 72 |
| Enhanced configuration tasks for 64-bit Route Data Publisher           | 72 |
| Manage WebMap Publisher connection renaming                            | 73 |
| WMS legend graphics in vector format (SVG)                             | 74 |
| WMS legend graphics configuration in Administration Console            | 75 |
| WMS GetFeatureInfo Tolerance setting                                   |    |
| Extended WebMap WFS to support 3D output                               | 77 |
| Geospatial SDI   |    |
| GeoJSON output format support in Geospatial SDI's WFS Façade           | 78 |
| Enhanced Catalog Editor UI, INSPIRE 2.0 ready                          | 79 |
| Handle multiple Feature Info formats in WMS with authorization         | 80 |
| GeoMedia WebMap Mobile and Mobile Publisher                            | 81 |
| WebMap Mobile offline usability enhancement                            | 81 |
| WebMap Mobile settings on start screen                                 | 82 |
| Display direction arrow for WebMap Mobile GPS marker                   | 83 |
| Altitude Auto Fill in WebMap Mobile                                    |    |
| Support for Consumer HTML Feature Info format in the WebMap Mobile app | 85 |
| Support for Consumer Portal search templates in WebMap Mobile app      |    |
| Support for colored image-styled features in WebMap Mobile app         | 87 |
| Geospatial Portal and Consumer Portal                                  |    |
| Speed up the first display of WMS in the Geospatial Portal             |    |
| Geospatial Portal Zoom to layer and Fit layer                          | 89 |
| Introduction of Zoom to Layer for Consumer Portal                      |    |
| Display Nominal Scale in Consumer Portal                               | 91 |
| Single-click Feature Info for vector layers in Consumer Portal         |    |
| Support for custom WMS tile size in Consumer Portal                    |    |
| Improved UI for Consumer Portal Measurements                           |    |
| Define Custom Units for Consumer Portal Measurements                   |    |
| Easy change of measurements unit system in Consumer Portal             |    |



| Define the Default Search Extent Size for the Consumer Portal               | 97  |
|---|-----|
| Introduced ability to distinguish multiple LUWS searches in Consumer Portal | 98  |
| Enhanced search in Consumer Portal for mobile devices                       | 99  |
| Portal SDK: Print button in Consumer Portal                                 | 100 |
| Portal SDK: Consumer extension points and new examples                      | 101 |
| Portal SDK: Updated Consumer search templates                               | 102 |
| Portal SDK: Consumer Portal API documentation and samples                   | 103 |
| Portal SDK: Enhanced Geospatial Portal API and modernized Format Converter  | 104 |
| System requirements (16.8.0)  | 105 |
| GeoMedia WebMap   | 105 |
| Geospatial Portal   | 108 |
| Geospatial SDI  | 110 |
| System requirements (16.8.1)  | 112 |
| GeoMedia WebMap   | 112 |
| Geospatial Portal   | 115 |
| Geospatial SDI  | 117 |
| Issues resolved (16.8.0)  | 120 |
| Geospatial Server 2023  | 120 |
| GeoMedia WebMap 16.8.0, Geospatial SDI 16.8.0, Geospatial Portal 16.8.0     | 120 |
| Issues resolved (16.8.1)  | 122 |
| Geospatial Server 2023 Update1  | 122 |
| GeoMedia WebMap 16.8.1, Geospatial SDI 16.8.1, Geospatial Portal 16.8.1     | 122 |
| About Hexagon   | 124 |



## About this release

This document describes the enhancements for WebGIS 2023 products, including GeoMedia WebMap 2023, Geospatial Portal 2023 and Geospatial SDI 2023.

This release includes both enhancements and fixes. For information on enhancements, see New technology. For information on fixes that were made to the WebGIS products for this release, see Issues resolved.

This document is an overview and does not provide all details about the products' capabilities. See online help and other documents provided with the WebGIS products for more information.

## GeoMedia WebMap

GeoMedia WebMap supports a broad range of customers who require visualization and examination of geographic data on the web. From easily creating standards-compliant web services to providing sophisticated visualization and analysis within interactive WebMapping applications, GeoMedia WebMap builds powerful solutions for sharing your organization's rich geospatial data.

## **Geospatial Portal**

Geospatial Portal is a fully featured, configurable and customizable thin client application that can be used for finding, viewing, querying, analyzing and consuming geospatial data published by Hexagon products and/or other standards-based web services. The portal can be accessed by multiple users via web browsers, as it is installed and configured on a web application server.

# **Geospatial SDI**

Geospatial SDI is an interoperable and scalable component of spatial data infrastructure for cataloging and delivering enterprise geospatial data over the web. It is designed for data providers who need to manage and serve secure or licensed information using standards-based web services. It offers powerful tools for controlled access to standards-compliant services and data published by those services, as well as tools for monitoring and reporting service performance. The product adheres to Open Geospatial Consortium (OGC), INSPIRE and International Standards Organization (ISO) standards for web services and metadata compliance. Geospatial SDI can easily extend solutions based on GeoMedia WebMap or any other vendor's OGC-compliant product to assure the full set of services required for implementation of custom secure spatial data infrastructure (SDI).



# New technology (16.8.0)

## GeoMedia WebMap

Extensive improvements to 64-bit route service and Location Utility Web Service

Release 2023 brings several changes and improvements to the implementation of the routing and geocoding services, respectively route service (64-bit) and Location Utility Web Service (LUWS).

#### 64-bit route service news

Route service is used to easily compute the best path between a given set of stops considering various criteria for the route. Presented routes can be optimized in terms of travel time, distance and now can be specially calculated for emergency vehicles. Route service from Hexagon can be combined with Geospatial Portal or Consumer Portal using SDK customizations to create a powerful tool for any kind of public safety and/or traffic management authorities.

Introduced improvements for route service encompass:

- Calculate multiple routes shortest, quickest, emergency for the same starting/ending point
- Support pre-calculated or ad-hoc roadblocks
- Easier and quicker publishing of routing files with the new 64-bit Route Data Publisher Utility
- Manage service instances via Administration Console
- Handle large datasets and calculate routes fasters due to 64-bit implementation
- Migrate network data from third-party providers not only from Here or TomTom datasets, but also from plain GeoMedia Warehouses
- Generate driving instructions with high-quality performance; for example, city-sized routes of around 5 km drive are now returned two times faster than before
- Translate source data using single-pass data access, such as state-sized (1M road segments); TomTom dataset stored in Oracle now transforms in 15 minutes, compared to two hours, previously
- Regenerate only specific binary routing files instead of translating whole commercial formats, including Edge Cost files, Edge Geometry files, Edge Name files, Edge Property files (for routing restrictions) and Routing Graph files and companion files
- Improved TomTom format table name inference
- Support customer data from GeoMedia Warehouse and connect to additional data sources like MS SQL Server, PostGIS and GeoPackage (apart from Oracle or shapefiles)
- Log instances in the new 64-bit Route Service system and the 64-bit Route Data Publisher with the ability to run as a headless process, such as scheduled unattended binary route files refreshing





#### LUWS news for geocoding

LUWS service, along with Geospatial Portal or Consumer, is a versatile tool for the spatial data infrastructure industry, where searching for any GIS information is crucial.

The most up-to-date version has the following features and improvements:

- Reverse geocoding to find an address (with option of detailed descriptive information) by providing only point coordinates and within a defined buffer zone
- Support for many different address patterns extended to multisegment values

It offers multiple, powerful search capabilities, allowing search for POI, addresses and any geographic location and through reverse geocoding - coordinates with address details, street junctions, parcel numbers and more. Data can be found not only in exact points, but also within a defined buffer zone.

LUWS and its configurable parsing methods can easily tailor the search service to the specifics of given languages, alphabets, cultures and geographic regions. Many different address patterns within one search service can be used. LUWS



can be built on any supported GeoMedia Warehouse; for example, Oracle, SQL Server and other database engines including shapefiles, MS Access, GeoPackage and other file-based storages.

Transformation can be easily defined (outside of the LUWS configuration) that allows the usage of various data providers like TomTom, HERE, Geofabrik and OSM.

No programming skills are required to configure and adjust the service behavior to the customer needs and aspects specific to various regions. All preparation steps can be done with a few clicks in bundled tools.

For the end user, searching for data using a LUWS service in Geospatial Portal or Consumer is like using a well-known Google search. The location of found objects is presented on the map with a pin.





GeoMedia WebMap service source metadata caching

GeoMedia WebMap services metadata is data that describes geospatial data and may include information about geometry storage, feature class definitions, supported geometry types, data type matchings, schemas, attribute properties, coordinate systems supported and more.

We are excited to announce that with GeoMedia WebMap 16.8 we've introduced a new metadata caching mechanism, a powerful feature to store and retrieve metadata related to WebMap Services.

By using WebMap services, source metadata caching significantly improves performance and reduces the need for repeated computations. Several tests performed during the development process showed that with a new caching mechanism the average response time is 25% faster due to fewer metadata requests and only checking for changes in the metadata.

Another advantage of a service source metadata mechanism can be smoother and more effective development workflows.

It is worth mentioning that the service metadata caching mechanism introduced works out of the box and no additional GeoMedia WebMap product configuration is needed.



Publish GeoWorkspace with Index Feature Cache attached to WebMap service source metadata

Feature caching is a common way to improve overall performance for many common workflows and operations, especially with vector geospatial data. Thus, feature caching capabilities are available with the GeoMedia desktop. In GeoMedia, feature caching is handled using an Indexed Feature Cache (IFC) file.

With GeoMedia WebMap 16.8 (and later), it is possible to publish GeoWorkspace with Index Feature Cache files directly to service source metadata. Such a workflow does not require any additional steps. Having a GeoWorkspace with a legend entry originating straight to IFC, no warehouse connection is required to publish the data. GeoMedia WebMap users publish GeoWorkspace, as is done in the case of typical GeoWorkspace, with established warehouse connection(s).

It is important to mention that if publishing GeoWorkspace with IFC, transactional services, like WFS, cannot be met, so all services based on metadata published with IFC will be read-only.





Managing instances with Administration Console Command Line Interface

GeoMedia WebMap 2023 comes with a preinstalled PowerShell module and provides several Cmdlets to configure and manage GeoMedia WebMap instances and services. Using PowerShell commands is very handy when administrative tasks are frequent, repetitive and/or need to be automated.

By using PowerShell and the newly introduced Cmdlets, every administrator of GeoMedia WebMap can:

- Review the configuration and get the list of available Cmdlets
- Display the configuration tree exposed by the server
- List all service instances
- Inspect services exposed by the Administration Console service
- Create or remove instances of GeoMedia WebMap services
- Manage instances and change GeoMedia WebMap settings

| S C:\Window:<br>S C:\Window:<br>S C:\Window:<br>S C:\Window:<br>S C:\Window:<br>Demo_WMS]<br>Descriptic<br>ServiceTyf<br>WebSiteNar | <pre>s\system32&gt; \$n = new-node 'Demo_MMS'<br/>s\system32&gt; \$n.Description = 'Instance'<br/>s\system32&gt; \$n.ServiceType = 'MMS'<br/>s\system32&gt; \$n.WebSiteName = 'Defaul<br/>s\system32&gt; \$n.VirtualDirectory = 'I<br/>s\system32&gt; \$n<br/>on: Instance created using PowerShel<br/>be: MMS<br/>me: Default Web Site<br/>rectory: Demo_MMS</pre> |   | Shell'  | PS C:\Windows\system32> get-node /Services/ConsumerDemo<br>[ConsumerDemo]<br>  ServiceType: Consumer Portal<br>  VirtuaDIrectory: ConsumerOemo<br>  PhysicalPath: C:\Program Files\Common Files\Hexagon\Services\Instances\ConsumerDemo<br>  WebSiteName: Default Web Site<br>  Version: 16.7.1<br>  ServiceTypeDescription: Consumer Portal<br>  Description: Consumer Poral instance created using PowerShell<br>  Restart: False<br>  Upgrade: False  |
|---|---|---|---|--|
| S C:\Window   | s\system32> add-childnode /Services   | \$n   |   | └[Configuration]<br>└[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>└[GeneralConfiguration]   |
|   | <pre>s\system32&gt; add-childnode /Services </pre>  | \$n   |   | L[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>L[GeneralConfiguration]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration/GeneralConfiguration   |
|   |   | \$n<br>Version  | Source  | L[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>L[GeneralConfiguration]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration/GeneralConfiguration<br>[GeneralConfiguration]<br>L EnaDicAdvancedBaccompositionSwitch: False  |
| 5 C:\windows<br>ommandType<br>mdlet   | <pre>\system32&gt; get-command -module accli Name Add-ChildNode</pre>   | Version<br><br>16.8.0   | accli   | L[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>L[GeneralConfiguration]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration/GeneralConfiguration<br>[GeneralConfiguration]<br>I EnableAdvancedHapCompositionSwitch: False<br>ShouldPreserveCameraPosition: False<br>ShouldPreserveCameraPosition: False  |
| S C:\windows<br>ommandType<br>ndlet<br>mdlet  | <pre>\system32&gt; get-command -module accli Name Add-ChildNode Format-Node</pre>   | Version<br><br>16.8.0<br>16.8.2                                     | accli<br>accli  | L[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>L[GeneralConfiguration]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration/GeneralConfiguratio<br>[GeneralConfiguration]<br>EnableAdvancedMapCompositionSwitch: False<br>ShouldDisplayKancemapSoition: False<br>ShouldDisplayKanceMapCompositionSinfeo: True<br>ShouldDisplayKanceMapCompositionSinfeo: True  |
| 6 C:\windows<br>mmmandType<br>dlet<br>dlet<br>dlet  | <pre>\system32&gt; get-command -module accli Name Add-ChildNode Format-Node Get-Node</pre>  | Version<br><br>16.8.0<br>16.8.0<br>16.8.0                           | accli<br>accli<br>accli                                     | L[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>[GeneralConfiguration]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration/GeneralConfiguration<br>[GeneralConfiguration]<br>[EnerotaConfiguration]<br>[EnerotaCodwinecedMacOmpositionSwitch: False<br>ShouldFreerveCameraPosition: False<br>ShouldFisplayMacCompositionSwitch: False<br>ShouldDisplayMacCompositionSife(): True<br>ShouldDisplayMacCompositionSife(): True<br>ShouldDisplayScaleBar: True |
| ; C:\windows<br>mmandType<br>dlet<br>dlet<br>dlet<br>dlet   | <pre>\system32&gt; get-command -module accli Name Add-ChildNode Format-Node</pre>   | Version<br><br>16.8.0<br>16.8.2                                     | accli<br>accli  | <pre>Linfo] P5 C:\Windows\system32&gt; get-node /Services/ConsumerDemo/Configuration [Configuration] [GeneralConfiguration] P5 C:\Windows\system32&gt; get-node /Services/ConsumerDemo/Configuration/GeneralConfiguratio [GeneralConfiguration] EnableAdvancedMapCompositionSwitch: False ShouidDisplaySalemarDoSition: False ShouidDisplaySalemarDoSition: False ShouidDisplaySalemarDesition: False</pre>  |
| S C:\windows<br>ommandType<br>mdlet<br>mdlet<br>mdlet<br>mdlet<br>mdlet<br>mdlet  | <pre>\system32&gt; get-command -module accli Name Add-ChildNode Format-Node Get-NodeFroperty New-Node Open-admineconsole</pre>  | Version<br>16.8.0<br>16.8.0<br>16.8.0<br>16.8.0<br>16.8.0<br>16.8.0 | accli<br>accli<br>accli<br>accli<br>accli<br>accli<br>accli | L[Info]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>L[GeneralConfiguration]<br>PS C:\Windows\system32> get-node /Services/ConsumerDemo/Configuration/GeneralConfiguratio<br>[GeneralConfiguration]<br>EnableAdvancedMapCompositionSwitch: False<br>ShouldDisplayScaleBar: True<br>ShouldDisplayScaleBar: True<br>Layout: window<br>ShouldDisplayScaleBar: True  |
| S C:\windows  | <pre>\system32&gt; get-command -module accli Name Add-ChildNode Format-Node Get-Node Get-Node Get-Node</pre>  | Version<br><br>16.8.0<br>16.8.0<br>16.8.0<br>16.8.0                 | accli<br>accli<br>accli<br>accli<br>accli<br>accli          | L[InFo]<br>PS C:\Windows\system32> get=node /Services/ConsumerDemo/Configuration<br>[Configuration]<br>[GeneralConfiguration]<br>PS C:\Windows\system32> get=node /Services/ConsumerDemo/Configuration/GeneralConfiguration<br>[GeneralConfiguration]<br>[FableIdWancedMepCompositionSwitch: False<br>ShouldPisplayMepCompositionSinfo: True<br>ShouldDisplayMepCompositionSinfo: True<br>ShouldDisplaySealeBar: True<br>Layout: window<br>ShouldFologroups: True<br>Layout: window  |



## Publish and handle multiple WMS styles

When GeoWorkspace content is published to the WMS metadata, the current style set for a legend entry is published as a default for the WMS layer. This new release adds the ability to handle additional (non-default) styles for legend entries. A geospatial server administrator can publish several predefined styles per layer, so end users can choose and switch between these styles, such as in Geospatial Portal. This means it is now easier to match the WMS style to a particular map composition, for example, to prepare separate styles optimized for dark and bright backgrounds.

Additional styles are prepared using the standard GeoMedia functionality. It is enough to put additional styles in an appropriately named folder and one can start the standard procedure of data publishing.





### GeoJSON output format for GeoMedia WebMap WMS Feature Info response

GetFeatureInfo response from WMS service can be obtained in many formats, like XML, HTML or plain text. Now one can view and analyze the FeatureInfo output in geoJSON format. The application/geo+json output format is available out of the box and no additional configuration on the GeoMedia WebMap server side is required.

```
<!-- Service Metadata -->
▼<Service>
   <Name>WMS</Name>
   <Title>Hexagon Geospatial OGC Web Map Service</Title>
   <Abstract>Service powered by Hexagon Geospatial Server products - GeoMedia WebMap and/or Apollo and/or Geospatial SDI.</Abstract>
   <KeywordList/>
   <OnlineResource xlink:href="http://www.hexagon.com/"/>
 <AccessConstraints/> </Service>
▼<Capability>
  ▼<Request>
   ▶ <GetCapabilities>
     . . .
     </GetCapabilities>
   ▶<GetMap>
     . . .
     </GetMap>

<GetFeatureInfo>
<Format>text/xml</Format>

       <Format>text/html</Format>
       <Format>application/gml+xml; version=3.1</Format>
      <Format>application/geo+json</Format>
<Format>application/json</Format>
```



Easier and faster use of custom legend icons and auto-generated thematic legend graphics while publishing WebMap services

The legend is a critical element of any map. It is a traditional feature, for paper or digital maps, served through web services such as WMS. Without a legend or legend graphics closer to WMS terminology, interpreting map data and features would be difficult. WMS legend graphics play a crucial role in explaining the symbols and colors used on a map.

When data is published to the WMS service source, GeoMedia WebMap engines automatically generate the default legend graphic.

Whenever a map is requested from the GeoMedia WebMap server, the request usually includes retrieval of the corresponding legend graphics. The images returned by a server can be displayed in Geospatial Portals, other WMS clients or can be requested directly through a simple query request in the Web browser.

**Note**: The default legend graphics generated by GeoMedia WebMap on the base of feature stylistics can be replaced by a custom designed if desired.

As of version 16.8, overriding the default legend graphics for GeoMedia WebMap WMS is remarkably simple with the Publisher Administrator tool. Publisher Administrator provides display options that allow you to control how the legend entry is displayed in the map and legend. (The Display Options tab is unavailable when managing WFS (Feature) service sources.)

Two new buttons: **Select Image** and **Revert Default** have been added to the **Display Options** tab for WMS legend entry settings. The **Select Image** button allows you to select an image used to override default legend graphics. Pressing **Select Image** shows the dialog form to choose a new image from a disk. Supported image extensions include \*.png and \*.jpeg. This release implements image converter to assure the legend graphics are prepared in the appropriate format, .png, to conform to WMS specification. It means .jpeg files are automatically converted to .png. **Revert Default** restores the default legend graphic if it has been changed earlier. Legend graphics can be restored to default immediately after the user presses the button.

| Map Content             |  | ×    |   |   |
|-------------------------|--|------|---|---|
|                         | States legend entry<br>General Display Options Temporal Options  |      | Open       ← ⇒ ~ ↑ < Loca > My Legend Graph       Organize ▼       New folder | arch My Legend Graphics                             |
| ∟ Swamps                | Spatial filter egpansion factor:         1           Scale         1           1:         1           1:         1 |      | SS.<br>Swamps   |   |
| Expand All Collapse All | <u>ОК А</u> рріу С.  | ncel | File name:  | raphic Files (*.png;*.jpg;*.jpeg ∨<br>Open ▼ Cancel |

Other legend entry improvements concern the legend graphics for thematic layers.

Publishing thematic maps to a WMS service creates a thematic legend instead of small pictograms that only give information with ranges or unique values. GeoMedia WebMap generates a real image of the thematic legend. Now the default WMS thematic legend graphic looks the same as the one defined in the GeoMedia



Desktop legend. With this solution, users looking at the thematic map in Geospatial Portal or Geospatial Portal Consumer can identify the affiliation of features on the map to the corresponding classification without any doubt.



It is still possible to provide the WMS service with a simplified pictogram for thematic maps that will not contain feature classification. The graphic above displays pictograms meant to inform users of the differences between a range thematic or unique value thematic map.

This is possible by manipulating the **Non-Descriptive Thematic Legend Entries** option for the selected legend in the **Display Options** tab in the **Map Content** window of the Web Publisher Administrator window.

| Non descriptive option   | e thematic legend entries   | Unique Values Thematic  | Range Thematic   |
|--|---|---|--|
| May Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombian<br>Colombi | New logal data           Tessed: Tess | Canal<br>Intermittent - Single Line<br>Verennial - Double Line<br>Verennial - Single Line | 0 to 17,5<br>17,5 to 35<br>52,5 to 70<br>70 to 87,5<br>87,5 to 105 |
| Egential Calence A   | 00         60%         Crew           Rein Nacriefen         X           Rein Nacriefen         X           Ø Strakk         Sand mage   | •   | <u>了</u> 重磁<br>破   |
| Expend All Collapse All  | OK Sople Cencel   |   |  |



## AltitudeMode KML for WebMap WFS

WFS services from Hexagon support KML markup language which is commonly used as a language for the visualization of geographic information, especially tailored for Google Earth. Features quite often contain an element or coordinate, which specifies a height (distance) above the ground or sea level. The Altitude Mode element in the KML tells how to read the altitude values. The **Clamp to Ground** parameter value means all heights are ignored and the feature is always on the ground or sea level. The other option is Absolute, which measures altitude relative to sea level, regardless of the actual elevation of the terrain beneath the feature. In this way, features can be placed underground and will not be visible or over the ground, depending on the specific values.

GeoMedia WebMap 2023 introduces a new GUI control to set this additional **Altitude Mode** parameter for GeoMedia WebMap WFS KML output format. Change of the KML **Altitude Mode** parameter value has never been so easy and fast. The GeoMedia WebMap administrators simply select the desired option for a specific WFS legend entry in the WFS data source settings, in the **Publisher Administrator** tool, **Map Content** window and **General** tab.





## Custom stored queries for WFS 2.0

In effect from version 16.8, GeoMedia WebMap fully supports stored queries for WFS 2.0, adhering to the OGC specification. Query definitions prepared by administrators are stored as XML files on the server side – for GeoMedia WebMap server specifically in the "StoredQueries" subfolder(s) of the respective WFS instance(s).

The XML-based query definitions contain vital details such as query ID, title, abstract, as well as parameterized attribute name(s), type(s) and operator(s). Executing a query is now as simple as providing the corresponding query ID value for the 'STOREDQUERY\_ID' parameter in the WFS request. There is no longer a need to include the entire filter in the request.

By leveraging WFS-stored queries, the process of querying WFS geospatial data becomes more streamlined and flexible. Users can invoke queries repeatedly with different parameter values, leading to improved efficiency.





New database type for GeoMedia WebMap service source metadata: GeoPackage

The crucial function of the GeoMedia WebMap Publisher Administrator is to publish geospatial data from GeoMedia GeoWorkspace to the service source. All additional information about spatial data, such as warehouse connections, queries, map windows, spatial reference systems and more, is stored in metadata databases. However, with the introduction of GeoMedia WebMap 2023, a new database type, GeoPackage, can now be used to store WebMap's service metadata.

GeoPackage adheres to OGC standards and specifications, ensuring interoperability with other geospatial systems and software that support OGC standards. GeoPackage offers many advantages and characteristics, such as extensibility, flexibility, seamless data interoperability, portability and performance.

With this enhancement, our users have more choices when it comes to selecting the database technology that best meets their expectations in GIS applications.

|              | New Service Source Wizard   |
|--------------|---|
|              | Meta Database Type<br>What type of database do you want to store your metadata in?  |
|              | You may store your service source metadata in a Microsoft Access, Dracle, or Microsoft<br>SQL Server database. Choosing Microsoft SQL Server or Dracle will require you to<br>choose a database that is already a valid GeoMedia GDD Warehouse (i.e. the GDDSYS<br>schema has already been created), and the user that you provide must have sufficient<br>read, write and create table privileges in the database. |
|              | See the documentation for more information on initializing an SQL Server or Oracle<br>database, and the advantages and disadvantages of each database type.   |
|              | Database type:<br>GeoPackage<br>Microsoft Access<br>Microsoft SQL Server<br>Oracle<br>Postgres<br>Back Next>  |
|              | GeoPackage  |
|              |   |
| MS<br>Access | MS<br>SQL<br>Server Oracle Postgres GeoPackage  |
| GeoMe        | dia WebMap's Service Source Metadata  |



Simpler workflows for product installation and configuration

We firmly believe that our ease-of-use software directly contributes to the efficiency and effectiveness of our customers' work, and we strive to create an intuitive and user-friendly experience. By automating processes and minimizing the need for users to engage in additional configuration activities, we not only simplify and expedite the configuration process, but also mitigate the risk of incorrect settings.

With these principles in mind, we have implemented several notable enhancements to the GeoMedia WebMap 2023.

The process of ensuring seamless access to GeoMedia WebMap Mobile Publisher, Remote Publisher and Mobile Backend components, while empowering administrators to efficiently manage permissions for specific Windows groups, has been significantly streamlined.

The Configuration Wizard now creates all necessary Windows system groups during the product configuration. Through an additional step in the Configuration Wizard, administrators can effortlessly assign specific users to required groups (Publisher and Remote Mobile) with just a few clicks using checkboxes. Although optional, skipping this step may necessitate manual configuration of users within groups in the Windows IIS settings, as was required prior to version 16.8.

By incorporating user group assignments into the configuration process, the WebMap Publisher Administrator or Mobile Publisher utility now provides full functionality without the need to explicitly run GeoMedia desktop as an Administrator to enforce privileges.

| Ҟ GeoMedia WebMap Config | uration Wizard  |                |           | ×      |               |        |
|--------------------------|---|----------------|-----------|--------|---------------|--------|
|                          | Welcome to the GeoM<br>Configuration Wizard<br>This wizard configures importan<br>GeoMedia WebMap. Click Next | nt informatior |           | by     |               |        |
|                          | 🎌 GeoMedia WebMap Co  | onfiguration V | Vizard    |        |               | ×      |
|                          | GeoMedia WebMap use   |                | ient      |        |               |        |
|                          | Username  | Publisher      | Remote    | Mobile | Action Delete | Add    |
| ł                        | Table Social  |                |           |        | Delete        |        |
|                          |   |                |           |        |               |        |
|                          | Skip configurating W  | ebmap Publis   | hers Grou | ips    |               |        |
|                          |   | [              | < Bac     | k      | Next >        | Cancel |



Furthermore, we have made slight redesigns to certain product setup dialogs, such as the Custom Setup screen, which allows users to select the desired program version. The implementation of radio buttons ensures a quicker, user-friendly selection process compared to previously used multiselect controls.

| 🖟 GeoMedia WebMap 2023 16 | 8.0.26 ×   |
|---------------------------|--|
|                           | Welcome to the InstallShield Wizard for<br>GeoMedia WebMap 2023  |
|                           | The InstallShield(R) Wizard will allow you to modify, repair, or remove GeoMedia WebMap 2023. To continue, click Next. |
|                           | 🛃 GeoMedia WebMap 2023 16.8.0.26 🛛 🗙   |
|                           | Custom Setup<br>Select the program version you want installed.   |
|                           | Select product version you want to be installed.   |
| Sta .                     | ◯ GeoMedia WebMap Essentials   |
| <i>V</i>                  | GeoMedia WebMap Advantage  |
|                           | GeoMedia WebMap Professional   |
|                           | C:\Program Files (x86)\Hexagon\GeoMedia WebMap\  |
|                           | InstallShield < Back Next > Cancel   |
|                           |  |



## GeoMedia WebMap Mobile and Mobile Publisher

### Enhanced zone assignment

Apart of filtering all active map layers by defining zones, now there is an option to opt out of limiting the legend entries to global work zone selection. With the introduced Use Zones option column in Mobile Publisher legend entries control, the administrator can select the feature classes filtered by a chosen zone(s).

|                        |                 | Map Cor | ntent Description  |            |              |         |        |        |                    |                      |         |            |
|------------------------|-----------------|---------|--------------------|------------|--------------|---------|--------|--------|--------------------|----------------------|---------|------------|
|                        | General 💌       | Map W   | findow* MapWindow1 |            |              |         |        |        |                    |                      | ¥       |            |
|                        | Łukasz Segiet 💌 | Base N  | Map* Open Street M | ар         |              |         |        |        |                    |                      | •       | Options    |
| scription<br>Offline — | Γ               | Zones   | ŁÓDŹ-ŚRÓDN         | IIEŚCIE    |              |         |        |        |                    |                      | -       | Select     |
| wnsamplin              | ম হ             | Legen   | d Entries          |            | _            |         |        |        |                    |                      |         |            |
| oom Level              |                 |         | Legend Entry       | Searchable | Use<br>Zones | Include | Create | Delete | Geometry<br>Update | Attributes<br>Update | Display |            |
|                        |                 |         | schools            | Π.         | 17           | ~       | ~      | •      | ~                  | <b>V</b>             | ~       | Attributes |
| Dashboar               | d               |         | hospitals          | □ .        |              | •       | •      | •      | <b>V</b>           |                      |         | Attributes |
| ocoding                | None 👻          |         | hotels             |            | 🔽            | ~       | ₹      | ◄      | •                  | <b>V</b>             |         | Attributes |
| - 1                    | Manage          | Þ       | roads              |            | . 🗖          | ~       | V      | ◄      | ~                  | <b>v</b>             |         | Attributes |
|                        |                 |         | wateways           |            |              | ~       | •      | •      |                    | <b>V</b>             |         | Attributes |
|                        |                 |         | parks              |            | . 🔽          | •       | V      | •      | •                  |                      |         | Attributes |



Further enhancements in the Zones functionality include selecting and displaying the zones on the list.

All applicable zones that one can select to filter features are now displayed in a separate Zones configuration window, which one can open with the Select button. The dialog allows one to conveniently filter and select a zone(s). The selected zones are then listed in the Zones field, on the Map Content tab of Mobile Publisher.

| eral 💌     |              |        |             |  |   |  |   |  |
|------------|--------------|--------|-------------|--|---|--|---|--|
|            | Map Window*  | Filter | by name     | 6  | -   |  | Ψ   |  |
| asz Segiet | Base Map* Or | _      |             |  |   |  | •   | Options  |
|            | Zones        | •      | ŁÓDŹ-WIDZEW |  |   |  |   | Select   |
|            |              |        | ŁÓDŹ-BAŁUTY |  |   |  |   |  |
|            |              |        | ŁÓDŹ-GÓRNA  |  | Geometry  | Attributes   | Display   |  |
| (17)       |              |        |             |  | Update 3  |  |   | Attributes   |
|            | hospitals    |        |             |  | <b>v</b>  |  |   | Attributes   |
| e 🔻        | hotels       |        |             |  |   | <b>V</b>   |   | Attributes   |
| Manage     | roads        |        |             |  |   |  | ~   | Attributes   |
|            |              |        |             |  | and the second se |  |   | Attributes   |
|            | parks        |        |             |  | I.  | V  | v   | Attributes   |
|            |              |        |             |  |   |  |   |  |
|            |              |        |             |  |   |  |   |  |
|            |              |        |             |  |   |  |   |  |
|            |              |        | OK          | Cancel   |   |  |   |  |
|            |              | Cones  | Zones       | Zones<br>Zones<br>Legend Entries<br>Legend Entries<br>Legend Entries<br>Legend Entries<br>Legend Entries<br>LoD2-BALUTY<br>LoD2-GORNA<br>EOD2-SRODMIESCIE<br>LOD2-POLESIE<br>Manage<br>wateways<br>parks | Zones  Zones  Zones  Legend Entries  Lo2-GORNA  LO2-SRODMIESCIE  Schools hospitals hotels roads wateways parks  | Zones     Logend Entries       Legend Entries     LóD2/AUDZEW       (17)     Legend E       schools     LóD2/SRÓDMIEŚCIE       hospitals     hotels       roada     wateways       parks     parks | Zones     LóD2/WIDZEW       Image     Logend Entries       Legend Entries     LóD2/SRAUTY       Logend Entries     LóD2/SRADDMIESCIE       schools     LóD2/POLESIE       hotels     roads       wateways     parks | Zones     Lóp2-WIDZEW       Lopend Entries     LóD2-BALUTY       Lopend Entries     LóD2-SRÓDMIESCIE       Legend E     LóD2-SRÓDMIESCIE       hospitals       hotels       roads       wateways       parks |

The last improvement in zone assignment workflow is that zones with wrong, empty or unsupported geometry are displayed in the zone's selection window as unsupported and selection for such zones is blocked.



Turn on/off Google Search for Google Base Map in Mobile Publisher work

Before adding a Google service to the work definition, such as Google Base Maps layer, the Google API must be configured. The Google API may activate not only the Google Maps display, but also access to Google Search services.

Mobile Publisher users have a new option to turn on/off Google Search when configuring Google Base Map in Mobile Publisher work. The new option is in Google Maps' base map options dialog. Google Search is enabled by default for a Google Base Map defined in Mobile Publisher works.

| Api Key* API        |           |
|---------------------|-----------|
| Apriley Print       | Manage    |
| Layer Type* RoadMap | •         |
| Google<br>Search⁺ I |           |
| Help                | OK Cancel |



Enhanced UI of WebMap Mobile Publisher for bulk configuration changes

To speed up the editing and preparing of the Work configuration, a header cell context menu for checkbox columns was implemented in version 2023. The new context menu for **Visible**, **Editable** and **Mandatory** columns in the **New/Edit Work** dialog has the following options:

- Select All
- Deselect All

With this little improvement, one configuring a Work can quickly check or uncheck all attributes at one time.

| Cities  |          |    |                            |                       |
|---------|----------|----|----------------------------|-----------------------|
| Visible | Editable | Ma | Select All<br>Deselect All | Display<br>ng Integer |
| 2       | N        |    | Double                     | Double                |



Improved search configuration UI in Mobile Publisher

User interfaces for searchers' configuration in **Legend Entries** control, in **New/Edit Work** dialog, has also been improved.

First, searcher configuration is available only for WFS-T Legend Entries that have attributes:

|   | Legend Entry     |       | Searchable | Use<br>Zones | Include  | Create | Delete | Geometry<br>Update | Attributes<br>Update | Display |            |
|---|------------------|-------|------------|--------------|----------|--------|--------|--------------------|----------------------|---------|------------|
| • | IncidentsI       |       |            |              | <b>V</b> | V      | V      | •                  |                      |         | Attributes |
|   | MainRoads        | WFS-T |            | <br><b>v</b> | •        | •      | ~      | ~                  |                      |         | Attributes |
|   | Hospitals        |       |            | <br><b>V</b> | ~        | •      |        | ~                  |                      |         | Attributes |
|   | TramStops        |       |            | <br>•        | ~        | ~      | ~      | ~                  |                      |         | Attributes |
|   | Places           | ן ו   |            | <br>•        | ~        |        |        |                    |                      |         | Attributes |
|   | Public_Buildings | WMS   |            |              | ~        |        |        |                    |                      |         | Attributes |
|   | Railways         |       |            | <br>•        | ~        |        |        |                    |                      |         | Attributes |
|   | Lodz_Ortho       |       |            |              | ~        |        |        |                    |                      |         | Attributes |

Second, after clicking the checkbox a configuration window appears, which when canceled will deselect the checkbox:

| ype* General <u>▼</u><br>ser* mm mm ▼ | Map Window           | MultipleConnect | ionsLocatableOn      |               |       |             |                                    |            | ~       |            |
|---------------------------------------|----------------------|-----------------|----------------------|---------------|-------|-------------|------------------------------------|------------|---------|------------|
| ser* mm mm 👤                          | Base Map*            | Open Street Ma  | p                    |               | -     |             | •                                  |            |         | Options    |
| Offline Downsampling                  | Zones<br>Legend Entr | 1               | nes available. Pleas | se, insert fe | 3     |             | earch for IncidentsI<br>IncidentsI | ×          |         | Select     |
| com Level Low (17)                    | L                    | egend Entry     | Searchab             | ble           | Displ | ay Name     |                                    | •          | Display |            |
| ,                                     | ► In                 | cidentsI        |                      | -             |       | Source Name | Display Name                       | Searchable |         | Attributes |
| Dashboard                             | M                    | ainRoads        |                      | 1             | •     | MemoM       | MemoM                              |            |         | Attributes |
| eocoding None 👻                       | H                    | ospitals        |                      |               |       | Audio       | Audio                              |            |         | Attributes |
| Manage                                | Tr                   | amStops         |                      |               |       | Photo       | Photo                              |            |         | Attributes |
|                                       | PI                   | aces            |                      |               |       | Video       | Video                              |            |         | Attributes |
|                                       | Pu                   | ublic_Buildings |                      |               |       | Signature   | Signature                          |            |         | Attributes |
|                                       | R                    | ailways         |                      | . i           |       | DocD        | DocD                               |            |         | Attributes |
|                                       | La                   | odz_Ortho       |                      |               |       | PdfP        | PdfP                               |            |         | Attributes |
|                                       |                      |                 |                      | 1             |       | TextT       | TextT                              |            |         |            |
|                                       |                      |                 |                      | 1             |       |             | ОК                                 | Cancel     |         |            |



## Snapping in geometry edition

Snapping works with all types of geometries supported by the mobile app and is active while editing existing features and adding new ones. The vertex of the edited geometry can be snapped to vertices of other geometry and to any point, line or boundary of area features. The special snapping button has been implemented. By using the new button users can quickly turn off/on snapping feature if needed.





## Adjustable tap tolerance

This new feature should significantly improve the user experience while working with the GeoMedia WebMap Mobile application.

Depending on many factors, such as the physical size of the device screen, resolution of the screen, object style, arrangement of objects on the map and more, it was sometimes difficult to hit the right object on the map on the first try. Now mobile app users can adjust the tap tolerance to adjust to individual preferences and device properties. Every user can set individual tap tolerances by using the slider in the Settings panel.

Also, the feature's style, such as dot size for points or line thickness, is taken into consideration. Now, one does not need worry about hitting the center of the feature (for a feature with a large enough style). It is enough to hit on the edge of the object to display its feature info.

|                         | 奈 ဩ Հ୷୲ 87% ∎ 14:04 |
|-------------------------|---------------------|
| < Settings              |                     |
|                         |                     |
| Measurement system unit |                     |
| metric                  |                     |
| Display GPS accuracy    | -                   |
| Keep my location marker |                     |
| Tap tolerance           |                     |
|                         | — o                 |
| Language                |                     |
| Current device language |                     |
|                         |                     |
|                         |                     |
|                         |                     |
|                         |                     |
|                         |                     |
|                         |                     |
| -                       |                     |



## Copying of read-only attributes to clipboard

In the feature info card when viewing or editing object attributes, both read-only and read-write attributes are displayed. The read-only attribute fields are inactive so the user cannot change the fields or even select the attribute's value.

Now, it is possible to copy the read-only attribute's value. It can be done with the new Copy button displayed with every read-only attribute field. Tapping this button copies attribute values to the system clipboard. In the case of the read-write attributes, there is no special button, and the copying is done using standard system commands.





## Grouping of feature actions button

Automatic grouping of actions buttons was introduced to enhance the UI responsiveness in the GWM mobile application on different devices. If there is not enough space on the device screen, such as when the screen has low resolution and/or is switched to the horizontal view, the actions buttons are organized into groups. Clicking one button expands the other buttons in the group. The device's aspect ratio also determines whether buttons will be grouped or not.



## Notification about feature unavailability

By default, tapping a point on the map opens the Feature Info dialog for the underlying queryable layers. Now in case there is no queryable layer in tapped map point, the appropriate notification is displayed to the user.





### Language selection

The WebGIS family of products, including the GeoMedia WebMap Mobile app, are multilingual with options for a variety of languages out of the box. The GeoMedia WebMap Mobile app was translated to be available in many languages like Arabic, Catalan, Chinese, Czech, French, Hindi, Polish, Portuguese, Romanian, Spanish, Kannada and Marathi. The GeoMedia WebMap Mobile app detects the default language on the user's mobile device and starts automatically in this language if available. The update brings the possibility to change the language of the app without changing the default device language settings. Users can set the preferred application language by selecting it directly in the GeoMedia WebMap Mobile app settings. With this feature, using the app in different languages becomes handier.

| ? D * 11 87% ■ 14:04    |   | ⑦ №                     | ∥ 87% 🔳 14:04 |  |
|-------------------------|---|-------------------------|---------------|--|
| < Settings              |   | Settings                |               |  |
|                         |   | Current device language | ۲             |  |
| Measurement system unit | N |                         |               |  |
| metric                  |   | عربی                    | 0             |  |
| Display GPS accuracy    | D | Català                  | 0             |  |
| Keep my location marker | к | Čeština                 | 0             |  |
| Tap tolerance           |   | English                 | 0             |  |
| Language                |   | Español                 | 0             |  |
| Current device language | c | Français                | 0             |  |
|                         |   | हिंदू                   | 0             |  |
|                         |   | Polski                  | 0             |  |
|                         |   |                         |               |  |
|                         |   |                         |               |  |

Prior to version 16.7.0, the mobile application was displayed only in the current mobile device language.



## Visual enhancements of user interface

The UX and design of the attribute panel in the mobile app were slightly redesigned to make it more userfriendly. Now moving from one to another feature is smoother and it looks more modern with a better attribute view. The new visual improvements include a new card panel where the feature class name is close above the attribute section instead of showing it on the top. The feature class name is visible when users scroll the attribute view. With the new layout, it is easier to determine what feature is currently edited. On the top users will see information about which feature is displayed and the total number of selected features. The next improvement here is the nice looking carousel animation when feature cards are swapped. The cards can be dragged from left to right or right to left in an infinity loop, and the feature corresponding to the currently displayed attribute card is highlighted on the map. Despite these changes, the feature card can still be resized to full-screen mode, but when the feature info panel is moved up or down the nice-looking animation is present with the move.



When adding a new feature, the same card view style and behavior are applied.



## Synchronization user experience Improvements

A few improvements to the mobile app concern the offline data synchronization process. With these synchronization enhancements described below, WebMap Mobile users have many more control possibilities over working with and synchronizing offline data.

### New download progress bar

The progress has been refreshed and now the new animation is shown when the data is being prepared for download.





Better error handling during a data synchronization process

Previously when there was an error during the data synchronization, the process was automatically aborted. Now, a new prompt dialog appears if an error occurs. The user receives information on how many objects have been synchronized and how many errors occurred and for which objects. Then one can see more detailed information about the error. Moreover, users can skip or discard the change or abort the entire process. In the end, a short summary notification is displayed, so the user knows how many features were skipped and/or discarded during the synchronization process, whether the synchronization was aborted and if that was a user choice.









#### Checking raster GeoPackage

In version 16.7, when the user pressed the download button to download data to work offline, the entire data packet was always downloaded which, for example, could extend the process or increase the costs associated with it (especially when working in the field and using the cellular data packages).

Now, the repeated download process synchronizes only vector data. In case the raster data was downloaded with the previous tap of synchronizing button, and the raster is still available in the app cache and the data did not change on the server-side, it won't be downloaded again until the user clears the cache.




Select cache type (raster/vector) on clearance in GeoMedia WebMap Mobile app

GeoMedia WebMap Mobile app users can choose the type of cache (raster/vector) to be cleared. After choosing to clear the cache (available in the same place as in the previous versions of the application), a new simple dialog window will appear with two options that allow the user to select the type of cache to be cleared. It is possible now to clear only the raster cache, vector cache or both. After clearing the cache (raster or vector) a new notification appears informing users that some data may be missing.







## Handle secured WFS-T services in GeoMedia WebMap Mobile

As of version 16.8, authenticated WFS-Transactional (WFS-T) services are supported. Working with authenticated services in Mobile Publisher does not differ from working with non-secured WFS-T. The only additional step is the need for service authentication when registering it in GeoMedia Desktop. Authentication is done by using the standard options and control of the GeoMedia Desktop.

| New Warehouse Connection  | ×  | Advanced Options   | ×               |
|---|--|--|-----------------|
| Connection type:  | Connection name:                         | Swap coordinates   |                 |
| File Geodatabase Read-Write   | WFS-T Connection                         | ☐ Geographic ☐ Projected   |                 |
| GeoMedia SmartStore   | Connection description:                  | Authentication   |                 |
| GeoPackage Read-Write<br>GML  | Secured WFS-T                            | User name: jsmith  |                 |
| I/CAD MAP<br>KML  | 1  | Password:  |                 |
| MapInfo   | Web Feature Service (WFS) URL:           |  |                 |
| Object Space<br>ODBC Tabular Read-Only  | http://demo.com/WFSdemo/service.svc/get? | Select feature classes to be loaded and override default coordin system assignments (please wait for server's response when cl | ate<br>hecked): |
| Oracle Object LTT Read-Write<br>Oracle Object Model Read-Only<br>Oracle Object Model Read-Write | Advanced                                 | ✓ Name Title Preferred SRS/CRS CSF File  |                 |
| PostGIS Read-Write<br>SQL Server Read-Only  |  |  |                 |
| SQL Server Read-Write<br>SQL Server Spatial Read-Write  |  |  |                 |
| Text File<br>VPF  |  |  |                 |
| WCS<br>WFS  |  | Maximum number of features to return:  |                 |
| WFS-T<br>WMS  |  | Serve attributes of GML elements as additional GeoMedia attrib   | wither          |
| WMS   |  |  | ules            |
| · ·   |  | In case of issues with the WFS implementation  |                 |
|   | OK Cancel                                | Download feature classes and process locally   |                 |
| Lett's  | And falling                              | ☐ Ignore schemas defined in GML  |                 |
| 1 vite  | The AME                                  | Additional parameters:   |                 |
|   |  | FER  |                 |
| 11 miles  |  |  |                 |
| At Ant  | THAT                                     |  | OK Cancel       |
| S 1   |  | RA -   |                 |
| 1 Am  | AND KAR                                  |  |                 |
|   |  | Skiller -  |                 |
| A PI  | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~   |  |                 |
|   | My that we                               |  |                 |
|   | V Star                                   |  |                 |
|   |  |  |                 |

Then, the administrator can prepare a map view and work definition as usual. Users of the mobile application will also not notice any differences in the use of the application when working with authenticated service(s). The username and password are encrypted in the JSON file in such a way that GeoMedia WebMap Mobile app can read them unnoticeably to the user.

| New Work                          |                         |                               |                          |               |             |        |          |                    |                      |         |            | ×    |
|-----------------------------------|-------------------------|-------------------------------|--------------------------|---------------|-------------|--------|----------|--------------------|----------------------|---------|------------|------|
| Name* Work with secured WFS-T     | Map Content             | Description                   |                          |               |             |        |          |                    |                      |         |            |      |
| Type* Task<br>User* ismisth is    | Map Window<br>Base Map* | MapWindow1<br>Open Street Map |                          |               |             |        |          |                    |                      | ~       | Options    |      |
| Description  Offline Downsampling | Zones<br>— Legend Entri | There are no zones availab    | ole. Please, insert feat | ures in "Zone | es" feature | class. |          |                    |                      |         | Select     |      |
| Zoom Level Low (17)               |                         | Legend Entry                  | Searchable               | Use<br>Zones  | Include     | Create | Delete   | Geometry<br>Update | Attributes<br>Update | Display |            |      |
|                                   |                         | Major_Cities                  |                          |               | •           | •      | •        |                    |                      |         | Attributes | _    |
| Dashboard                         |                         | nterstates                    |                          |               | ~           |        | <b>V</b> | ~                  |                      |         | Attributes | _    |
| Geocoding None 🗸                  |                         | States                        | <u> </u>                 |               |             |        | ~        |                    |                      |         | Attributes | -117 |
| Manage                            |                         |                               |                          |               |             |        |          |                    |                      |         |            |      |
| Current status: New               |                         |                               |                          |               |             |        |          |                    |                      | Update  | Cano       | cel  |



#### Managing Raster GeoPackage in GeoMedia WebMap Mobile Publisher

To provide offline users access to raster data, WMS layers, GeoPackage files containing the raster tiles are first generated on the server. Then the data is synchronized with the GeoMedia WebMap application installed on the mobile device as soon as the user starts the synchronization process. The raster GeoPackage generation process starts immediately if the Mobile Publisher administrator pushes a new work to the GeoMedia server.

The 16.8 release provides redesigned and enhanced **Server** dialog, giving the administrators a better opportunity to monitor and manage the process of generating gpkg files. Raster tiles Administrators have insight into the processes run on the server side and can get a piece of information including:

- Layer name
- Status (In Queue, Generating, Ready and Failure)
- List of all Mobile Publisher Work definitions that are using the specific raster
- Raster file path

Management capabilities here also include restarting the process, deleting files and configuring raster queue parameters. The latter is to avoid overloading the server while generating the gpkg files with rasters for offline configuration. The number of rasters generated at the same time can be set by the Administrator in a new Mobile Backend Web.config parameter - RastegGPKGThreads. The default value for offline rasters generated at once is three while the other rasters wait in a queue, but this can be easily changed by the Mobile Publisher Administrator.

This makes the workflow of preparing data for field works much more transparent.

|   |         | ×       |        |    |
|---|---------|---------|--------|----|
| □ Server Url  |         | - 10    |        |    |
| http://locathost/MobieBackend   | Chan    | ge      |        |    |
| Offine Rastes   |         |         |        |    |
| No. Layer Status V Used in works: Raster File Path  |         |         |        |    |
| 1 wms_Highway Ready Pavement Condition Inspection C:\Windows\TEMP\sync-service\vesponses\Pavement Condition Inspection_82\wms_Highway.gpkg Resta  | rt Dele | te      |        |    |
| 5 wms_Airport in Queue Airport Fire Control C:\Windows\TEMP\syncservice\vesponses\Veport Fire Control_83\wms_Airport.gpkg Resta                   | rt Dele | to      |        |    |
| 2 wms_Ralroad Generating Ralway Crossings Inspection C:\Windows\TEMP\sync-service\vesponses\Ralway Crossings Inspection_81\wms_Ralroad.gpkg Resta | rt Dele | te      |        |    |
| 4 wms_Exit Generating Airport Fire Control C:\Windows\TEMP\sync-service\vesponses\Airport Fire Control_83\wms_Exit gpkg Resta                     | rt Dele | te      |        |    |
| 3 wms_Park Generating Urban Greenery Inventory C:\Windows\TEMP\sync-service\vexponses\Urban Greenery Inventory_30\wms_Park.gpkg Resta             | rt Dele | te      |        |    |
|   |         |         |        |    |
| Server  |         |         |        | ×  |
| r Server Uil  |         |         |        |    |
| http://localhost/MobileBackend  |         |         | Change | e  |
|   |         |         |        |    |
| Offine Pasters  |         |         |        |    |
| No. Layer Status V Used in works: Raster File Path  |         |         |        |    |
| 1 wms_Hghway Ready Pavement Condition Inspection C:\Windows\TEMP\sync.service\responses\Pavement Condition Inspection_82\wms_Hghway               | y.gpkg  | Restart | Delete | ,  |
| 4 wms_Exit Ready Airport Fire Control C:\Windows\TEMP\sync-service\responses\Winpot Fire Control_83\wms_Exit gokg                                 |         | Restart | Delete | ,  |
| 5 wms_Airport Ready Airport Fire Control C:\Windows\TEMP\sync.sen/ce\responses\Airport Fire Control_83\wms_Airport gpkg                           |         | Restart | Delete | ,  |
| 2 wms_Ralroad Generating Railway Crossings Inspection C:\Windows\TEMP\sync.service\responses\Railway Crossings Inspection_81\wms_Railroad         | pkg     | Restart | Delete | ,  |
| 3 wms_Park Generating Utban Greenery Inventory C:\Windows\TEMP\sync.senvice\responses\Utban Greenery Inventory_80\wms_Park.gpkg                   |         | Restart | Delete | ,  |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         |         |        |    |
|   |         | _       |        |    |
|   |         | Refresh | Clos   | se |



#### Thematic Vector Layer in Mobile Publisher

Thematic maps, also known as choropleths, are one of the common ways to present diverse phenomena in an area. It is obvious that server products like GeoMedia and GeoMedia WebMap have extensive possibilities for creating thematic maps. With the latest (16.8) edition of GeoMedia WebMap, thematic layers can be used in mobile app Work definition and then dynamically displayed in the mobile application.

Thematic stylistics can be used in the mobile application to present data of background context layers and/or for main objects to be inspected by field workers. It is important to note that the thematic layer can be built on a base of vector feature(s) from WFS-T service(s).

Using the thematic vector layer can help users distinguish map features by attribute value.

An example of the thematic vector layer use could be to provide, in the form of a dynamic, changing style, information on whether an object has already been inspected, or to indicate in graphic form (e.g., changing color or size) another characteristic of an explored feature. In this way, users obtain the current condition or phenomena occurrence at one glance without having to invoke the Feature Info dialog each time.

Mobile Publisher supports the most common thematic legend types like range thematic and unique value thematic. The map stylistics are now updated on the fly when users update vector data.

On the Mobile Publisher Administrator side there is no additional work needed to prepare the thematic layer for mobile users except preparing the thematic legend entry in GeoMedia.





#### Gather logs in WebMap Mobile app

Logs gathering is a very helpful aspect of software maintenance including software designed and working on mobile devices like tablets, smartphones or other specialized devices supporting fieldwork. With version 16.8, the GeoMedia WebMap Mobile app can collect diagnostic data.

If a user encounters an error while working with the app, there is a simple yet effective method to gather logs.

Here's how it works:

Having the application open, navigate to the About page by clicking on the information icon located within the app's interface. In the Troubleshooting section, you will notice a Collect Diagnostics button. Simply click on this button to initiate the diagnostic data download process. The app will automatically download a zip file containing all relevant logs and diagnostic data associated with the encountered error. Next, locate the diagnostic data you can now easily share with the support team or your organization's administrators. Doing so enables them to analyze the issue swiftly and provide solutions.

The new ability to collect and share logs makes troubleshooting GeoMedia WebMap Mobile app issues more efficient, saving valuable time and effort for both users and technical staff.



## Geospatial Portal and Consumer Portal

#### Google Street View in Geospatial Portal

The Geospatial Portal handles Google Maps layers and Google Maps Places search service, but with the 2023 release, users in Geospatial Portal can also explore Google Street View. Exploring the Google Street View in the Geospatial Portal is intuitive and uses well-known Google Street View native functionality available



in a floating and resizable pop-up window. All you need to do is to enable Street View mode and place a marker on the map. The Street View mode icon was added to the Geospatial Portal navigator toolbar. The marker on the map shows your location, view direction and follows the position when you move in the Street View.





## Google Search Places in Geospatial Portal

Geospatial Portal handles Google Maps layers. Users can view Google Maps, explore Google Street View and search for interesting objects by using the Google Maps Places search service.

While the Google Map layer is active, users can search for a POI or address by using the standard Portal search control integrated with Google Maps Places. Pins with the locations of searched objects appear on the map.



In case the Google Maps layer is not visible, or the current CRS is not supported by Google Maps, a message about Google Search unavailability will be displayed to the user.





More custom feature style capabilities in Geospatial Portal

Geospatial Portal users can define custom display styles for features on the map. The rich possibilities of overriding the default display style have been slightly extended. When defining display style for linear objects, one can in addition set the type of the start and end line cap. The choices are the round arrow and the open arrow. Style sets are made (as it was in prior versions) in the Style dialog box, invoked by double-clicking on the feature class pictogram in the legend. For linear objects, there are new controls available to set the start/end cap. The settings of the start and end caps are self-standing.

|                       |               |                 |      | Style       |                |        |               |         |       | × |
|-----------------------|---------------|-----------------|------|-------------|----------------|--------|---------------|---------|-------|---|
|                       |               |                 |      | Choose geom | etry type:     |        | Width:        | 5       |       |   |
|                       |               |                 |      | Linear      |                | *      | Translucency: | 0       |       | _ |
|                       |               |                 |      | 🚍 🗸 Sim     | ple line style |        | Color:        |         |       |   |
|                       | Style         |                 |      | -           |                | ×      | Line type:    | Dash Do | t     | ¥ |
|                       | Choose geor   |                 | Widt | th:         | 5              |        |               | 30 15 0 | 15    |   |
|                       | Linear        | *               | Tran | slucency:   | 0              |        | Start cap:    | Round   |       | ¥ |
|                       | 🖭 🗸 Sin       | nple line style | Colo | or:         |                |        | End cap:      | Round   |       | ¥ |
| Style                 |               | ×               | Line | type:       | Dash Dot       | *      |               |         |       |   |
| Choose geometry type: | Width:        | 3               |      |             | 30 15 0 15     | 5      |               |         |       |   |
| Linear 🗸              | Translucency: | 0               | Star | t cap:      | Arrow          | *      |               |         |       |   |
| 🔁 🗸 Simple line style | Color:        |                 | End  | cap:        | Arrow          | *      |               | ~       |       | ~ |
|                       | Line type:    | Solid 🗸         |      |             |                |        |               |         |       |   |
|                       |               |                 |      |             |                |        |               | Apply   | Cance |   |
|                       | Start cap:    | Open arrow      |      |             |                |        |               | Арріу   | Cance |   |
|                       | End cap:      | Open arrow      |      |             |                |        |               |         |       |   |
|                       |               |                 |      |             |                |        |               |         |       |   |
|                       |               |                 |      |             |                | Cancel |               |         |       |   |
|                       |               |                 |      | _           | Apply          | Cancel |               |         |       |   |
|                       |               |                 |      |             |                |        |               |         |       |   |
|                       |               |                 |      |             |                |        |               |         |       |   |
| L                     | ~             | terts front     |      |             |                |        |               |         |       |   |
|                       |               | Apply Cancel    |      |             |                |        |               |         |       |   |



For point (vector) features the new stroked point style for point geometry objects has been introduced. The possible style types are single point style, graphic style and the new one: stroked point style. Configurable parameters for the new stroked point style definition include point size, translucency, color and stroke size translucency and color.

| Geospatial<br>Map Content<br>Layerz Data Sources<br>○ ♥ Manine Features<br>◎ ♥ Manine Features<br>◎ ♥ J Buoy<br>□ ♥ ♥ Open Street Map | Categories         Oata Sources         Selection         Search         Time         Edit         Authentication         Quality Monitor  |        |
|---|--|--------|
| tyle  | X  |        |
| Choose geometry type:<br>Point<br>▼ Simple point style  | Size: 8<br>Translucency: 60<br>Color:<br>Stroke size: 4<br>Stroke color:<br>Stroke color:  | •<br>• |
| Sentch for one (measure<br>Analyses<br>3D View Settings<br>Settings   | Apply Cancel 16 10 P<br>Apply Cancel 16 10 P<br>Cancel 16 10 P<br>Ca |        |

With the introduced enhancements of the style definitions, users get more possibilities to adjust the map view to their own needs, distinguishing objects displayed on the map and making the map data look better and more attractive.



## Hot swapping capabilities to LUWS

Hot swapping capabilities to LUWS in Geospatial Portal is another new feature worth mentioning. It significantly improves the user experience while working with LUWS services that change quite often.

If changes occur in the LUWS service configuration or LUWS dataset and those service updates impact the search results, there is no need to reregister the LUWS in data sources. All users need to do is press the Refresh button in the search list control and the results will be updated including search results in the list and on the map.





## Manage WMS Feature Info Format in Geospatial Portal

Registering a new WMS service in Geospatial Portal and/or Administration Portal one must provide not only URL service, but also set a few parameters including Feature Info Format. User and administrators of Portals in version 2023 can change with ease the Feature Info Format for already registered services. There is no longer need to unregister the service and register it again. The Feature Info Format can be changed at any time by using the new context menu option in the Map Content > Data Sources tab.

| 34   | 1  |  |
|--|--|--|
| Map Content -  |  | Feature info ×   |
| Layers Data Sources Categories   |  | World Map  |
| ± € Vorid Map<br>i<br>*  | User  FeatureInfo format Information about map Scale bands Add category Remove | <pre>  Topography 5919_1147 126    Countries Pland  </pre> |
| Feature info Cities Borders Rivers Coastlir Layer ID Desc Countries PL Polance | cription Value   | ×  |

The Feature Info Format also can be chosen in the Data Sources dialog, menu for registered WMS.

| Data S | ources                            |  |     | ×                     |      |              |
|--------|-----------------------------------|--|-----|-----------------------|------|--------------|
| Nar    | me 🔺                              | URL  |     |                       |      |              |
| 🛛 Pers | sonal (1)                         |  |     |                       |      |              |
|        | er dedicated PSS<br>dministrator) |  |     |                       |      |              |
| B WM   | S (1)                             |  |     |                       |      |              |
| Wo     | orld Map                          | http://www2.demis.nl/wms/wms.ashx?WMS=WorldMap |     |                       |      |              |
|        |                                   |  |     | User                  | ►    |              |
|        |                                   |  | ×   | Remove                |      |              |
|        |                                   |  | 0   | GetCapabilities docum | nent |              |
|        |                                   |  |     | FeatureInfo format    | . ▶  | 🔲 text/xml   |
|        |                                   |  |     |                       | 3    | 🔲 text/plain |
|        |                                   |  |     |                       |      | 👿 text/html  |
|        |                                   |  |     |                       |      |              |
|        |                                   |  |     |                       |      |              |
|        |                                   |  |     |                       |      |              |
|        |                                   | Remove   | All |                       |      |              |
|        |                                   |  |     |                       |      |              |



## Insert and update WFS text features in Geospatial Portal

GeoMedia WebMap WFS-T (WFS-Transactional) capabilities have been extended to support the editing of text feature classes. The new implementation allows easy manipulation of text features served by the GeoMedia WebMap WFS-T service, registered in Geospatial Portal. One can move a label to another place, remove it or insert a new one. The result of such an operation is immediately visible on the map in Geospatial Portal. To manipulate the text features served by GeoMedia WebMap WFS-T, standard editing tools and controls of Geospatial Portal are used. Note that both the Geospatial Portal and the GeoMedia WebMap service must be on the same product version, 16.8 or later.

| Geospatial Portal   |   |
|---|---|
| €<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Territoria<br>Te | Tools       Measurements       Data Sources       Search       Time       Edit       Authentication       Quality Monitor         Image: Control of the source of |
| Search geographic names + Search for data (metadata) + Analyses + 3D View Settings +  | ч<br>У  |



# CSV | separator | in Portal | exports

Geospatial Portal users by using a data window can view tabular data of features provided by services like WebMap Publisher, WFS or PSS. Data shown in Geospatial Portal's data window can be exported to the CSV file, for further analysis in third-party software or just to share with other users.

To facilitate the exchange of exported data for further processing and to avoid any complications that may arise when data is to be used in systems with different regional settings (and thus different characters for delimiters, which may also involve different characters for decimal separators or commas), we have decided to explicitly use only one separator in CSV files with exported data, regardless of current regional settings of the system on which Geospatial Portal is hosted or run. Now it is a vertical line: |, also known as the pipe, vertical slash, think colon or divider line. Introduced a new "hardcoded" separator is interpreted seamlessly by most external editors or spreadsheets like Microsoft Excel.





## **Consumer Portal Feature Info enhancements**

This release brings a set of improvements to the Feature Info functionality in Consumer Portal.

#### Embedded PDF and multimedia files

For attributes in data that represent photo, video or audio URLs, the end user can see an image or html5 player for audio/video within the Feature Info dialog instead of URLs as text.

The image or media player (for video/audio) is shown within the appropriate Feature Info data cell. The image and video player may occupy either the full width of the cell or have a fixed width and height passed as part of the configuration. Current web browser compatibility determines whether a multimedia file can be displayed instead of links and what formats are supported. In case the link to the multimedia file is invalid or the web browser does not support the given media format, instead of showing video/audio it will fall back to the display of the URL. This is the same solution for PDF documents, which can also be displayed within the Feature Info dialog, instead of URLs.





#### Store active feature info tab in Consumer Portal

The next enhancement related to the Feature Info dialog is the possibility of displaying the previously opened tab for the last reviewed feature class. The behavior is configurable with a new option in Administration Console. It is the administrator's choice, whether the reloaded Feature Info window shows the tab that was open previously, if the same queryable layer(s) is present in a map point where the Feature Info is issued again or the first tab in Feature Info dialog is displayed, even if the user switched to a different one before issuing new Feature Info.



Feature Info window reflects the current state of the map.

The Consumer Portal Feature Info window reflects the current state of the map. When the map layers change their visibility or locatability while the Feature Info window is still open, the Feature Info window in such cases, is closed automatically since displayed data in the dialog may not be valid anymore.



#### Adjustable columns in Feature Info dialog

Another enhancement is that users can adjust column size in Consumer Portal Feature Info dialog to customize the view to their needs while browsing the data.

| Private Buildings |              |                   |              |                   |              |
|-------------------|--------------|-------------------|--------------|-------------------|--------------|
| NAME              | VALUE        |                   |              |                   |              |
| DSM_ID            | 302789909    |                   |              |                   |              |
| NAME              | Solaris Park | Feature info      |              | ×                 |              |
| YPE               | apartments   |                   |              |                   |              |
| D1                | 75431        | Private Buildings |              |                   |              |
| BUILDINGHEIGHT    | 12           | NAME              | VALUE        | ·····             |              |
| CLASS_ID          | 4            | OSM ID            | 302789909    |                   |              |
|                   |              | NAME              | Solaris Park | Feature info      |              |
|                   |              | ТҮРЕ              | apartments   |                   |              |
|                   |              | ID1               | 75431        | Private Buildings |              |
|                   |              | BUILDINGHEIGHT    | 12           | NAME              | VALUE        |
|                   |              | CLASS_ID          | 4            | OSM_ID            | 302789909    |
|                   |              |                   |              | NAME              | Solaris Park |
|                   |              |                   |              | ТҮРЕ              | apartments   |
|                   |              |                   |              | ID1               | 75431        |
|                   |              |                   |              | BUILDINGHEIGHT    | 12           |
|                   |              |                   |              | CLASS_ID          | 4            |



Ability to run Feature Info and Street View simultaneously in Consumer Portal

Consumer Portal users can use both the Feature Info command and the Street View window at the same time. The constraint to have the Feature Info and Street View modes exclusive has been removed. This results in changing both for subsequent clicks on the map. After a relevant window is shown, the clicking of the other modal button doesn't disable the current mode entirely, but switches map input, while keeping the current window open and non-reactive to subsequent map clicks.





## Remember sizes and positions of Consumer Portal windows

Users of Consumer Portal can adjust window sizes and positions to their preferences. Consumer Portal can remember the position and size of windows. When the Consumer Portal is run, the size of the windows and their arrangement will be the same as during the last session even if the web page was refreshed or Web browser tab or the entire web browser was closed. The behavior is configurable with the option in the Administration Console. The administrator of Consumer Portal can disable the windows sizes and positions memory so windows will be in a default state with every Portal run or refresh of the page.





Customize starting map range in Consumer Portal

Consumer Portal by default starts with the map range as defined in its starting workspace definition.

In version 2023 there are two additional startup options:

- Remember the last session map range: With the first run of Consumer Portal, the map range will be as defined in the starting workspace, but with every subsequent session of the Consumer portal, the map will open with the same range in which it was previously closed
- Use client location: Consumer Portal will attempt to acquire the user's location and adjust the map range to the location obtained; his option requires enabled localization services to work





## Dedicated window for legend hover

The legend is an indispensable element of every map and allows you to understand what the map is about. WMS services serving map data often provide a comprehensive legend in the form of a picture. In the Consumer Portal, the map legend was available after hovering the cursor over a pictogram of a given legend entry (and disappeared after moving out the cursor). The legend from the WMS service can be displayed all the time in a separate window. Moreover, the window with a legend picture can be resized and placed anywhere on the screen. The benefit is that the legend is visible all the time while working with the map, even after closing the legend entries window. It is possible to display legends for multiple layers/services.

To emphasize that a new window is being open from the Layers form to the location of the window (by default displayed in place of hover) the animation is displayed. The same animation runs backward while closing the window.





## Slight visual enhancements in Consumer Portal

Minor visual changes have been made to make the entire Consumer Portal look more consistent and intuitive. By default, the buttons are white. The buttons for all active and open windows in Consumer Portal are highlighted in blue. Once enabled in the active mode they become yellow.



## New warning notification in Consumer Portal

If service initialization has failed and data sources for the Consumer Portal workspace are invalid, the appropriate notification will be displayed. With this new notification, Consumer Portal users and administrators will know that certain services have not been initialized and the workspace may not be valid.





## Display non-starting workspace at Consumer Portal launch

The Consumer Portal instance can be run with a specific workspace by including the Workspace ID as a parameter in the URL, for example http://sdidemo.intergraph.pl/ConsumerInstance/?gpw=b13c1d4c-645a-4a48-a847-1e81c030ab08.

With this improvement, it's no longer necessary to create distinct instances of the Consumer Portal for each workspace. Instead, multiple workspaces can be accessed using a single instance.

The map range will be set accordingly to the option chosen for Starting map range option in the Administrator Console. It can be set as a specific GeoWorkspace map range or retain the last used map range if the **Remember last session's map range** option is enabled. The third option is to use the current client location to determine the starting map view.

It is important to note that if the Consumer Portal instance has been launched with the GPW (Geospatial Portal Workspace) parameter in the URL, then the link displayed in the Share Map dialog will also contain the GPW parameter along with the ID of the GeoWorkspace specified during the launch of the Consumer instance.





## Geospatial Portal Consumer handles secured WMS with Authorization

With our latest release, we've also focused on enhancing the security aspects of the web services we provide, so the Consumer Portal handles secured WMS services out of the box. Along with the security and access control capabilities of the SDI Authorization Bridge service and SDI security console, the display of secured WMS services in the Consumer Portal is assured. The introduced solution ensures that Consumer Portal users can get access only to the selected geospatial data in accordance with their roles.

From the administrator's point of view, the preparation of Consumer Map Compositions with secure authorized WMS is almost the same as in the case of standard WMS without authorization and is done with the use of the Administrator Portal tools and functions. Administrators have full control over which data, and on which credentials, can be consumed by Consumer users. Preparing the map composition that uses authorized WMS provides the WMS username and password while registering such a secured service in the Administrator Portal. With **Save credentials of connected data sources** option enabled, everyone with access to the Consumer URL can view the prepared map composition (in accordance with the credentials provided and saved in the map definition.) Doing so, Consumer Portal will display WMS data according to security settings defined for specific WMS users and roles. It is worth mentioning that Consumer Portal works not only with secured services created with GeoMedia WebMap and Geospatial SDI tools, but also with third-party services.



#### Extended variants for Remember Feature Info Tab feature of Consumer Portal

Along with version 2023 the option Remember Feature Info tab has been introduced to allow Consumer Portal administrators to customize the behavior of tabs in the Feature Info window when switching between successive objects. If the option is enabled then the reloaded Feature Info window shows the tab that was last open, on the condition that the same queryable layer(s) is present in a map point where the Feature Info is issued again. If disabled the Feature Info window reloads and selects the first feature tab, even if the user switched to a different one before issuing new feature info.





Beginning with release 2023 (16.8) administrators, in addition, can decide whether the settings are to apply only over one Consumer Portal session or whether they are to be remembered between sessions. The selection of the appropriate option is now made using a drop-down list.

| $\rightarrow$ ADMINISTRATION CONSOLE $\rightarrow$ I | NSTANCE LIST → CONSUMER PORTAL CONFIGURATION                               |
|--|--|
| CP 16.8.0  |  |
|  |  |
| Searching Configuration A                            | ppearance Logging Starting Configuration Map Compositions Behavior Details |
| APPEARANCE   |  |
| Layout   | Window 🗸   |
| Starting map range                                   | Remember last session's map range  |
| Remember window sizes and<br>positions               |  |
| Show Map Info  |  |
| Show Scale Bar                                       |  |
| Collapse Legend Groups                               |  |
| Remember feature info tab                            | Over one session   |
|  | Never  |
|  | Over one session Between sessions REFRESH APPLY                            |



## Improved performance of Consumer Portal loading time

Inventory and optimization of the use of extraordinary libraries resulted in an approximately 20% faster load time for the Consumer Portal, which makes its initialization quick and smooth. Concurrently, an aesthetically rejuvenated loading progress bar was unveiled.

Sencha is widely used framework for developing cross-platform web applications. It provides a comprehensive set of external libraries and components, which used to be available in Consumer Portal.

Knowing that all standard workflows within the Consumer Portal do not require these extensive capabilities and focusing on improving overall Consumer Portal performance, we have made the decision to remove Sencha libraries previously used within the Consumer Portal.

Although Sencha libraries have been removed from the Consumer Portal, they remain available within the Consumer Portal SDK. This means that developers still have access to Sencha components and if needed can use the features when building custom applications based on Consumer Portal.





## Portal SDK: Workspace update from API

Release 2023 brings a new method provided to the API in the Portal SDK to change Workspace parameters like:

- Workspace name
- Public/Private workspace type
- Map range

One customizing Geospatial Portal has the \$GP.user.workspaces method giving an additional update() contract:

• \$GP.user.workspaces.update()



Various combinations of updating workspace or map parameters are possible:

```
> $GP.user.workspaces.update({id :'495531c5-20a8-4199-a986-
e0e9982eaa14', name: 'new name'});
< undefined
> $GP.user.workspaces.update({id :'495531c5-20a8-4199-a986-
e0e9982eaa14', isPublic: false});
< undefined
> $GP.user.workspaces.update({id :'495531c5-20a8-4199-a986-
e0e9982eaa14', isPublic: true, name: 'another new name'});
< undefined
> $GP.user.workspaces.update({isPublic: false, name: 'another
new name'});
< undefined
> $GP.user.workspaces.update({isPublic: false, name: 'another
new name'});
```



Consumer Portal SDK: New code examples and features to customize Consumer Portal layout and its behavior

A set of new Consumer Portal customization examples is added with the latest product version.

Expose methods in Consumer Portal API to display layer for search results

New code examples were introduced to customize Consumer Portal behavior for actions related to search result control. Sample events allow users to add search results to the map and display additional data on the map (e.g., raster/vector layer, etc.). Exposed events can react to search result pop up, search result click or search result clear. Custom layers added along with search result user action can be both raster and vector types and can be added temporally or permanently to the map view.



Activate icons for enabled dynamic legends.

One of the code examples in Consumer Portal SDK creates a dynamic layer from third party data providers. For example, it can be icons of trams or buses moving on the map in real time, using external API sources. The new extension introduces adjustments for that code example so it can show whether the layer is being displayed or not. It is achieved by adding a new button to the Consumer Portal toolbar that not only allows the user to turn the dynamic layer on or off, but also the button state (its highlight color) gives immediate information to users about whether a given layer is active. The button style is customizable with the CSS.





Code examples to showcase the possibility of customizing Consumer Portal starting behavior

Further code examples to demonstrate the possibilities of adjusting and controlling the map range at the launch of the Consumer Portal are provided for the SDK in the latest version.

The enhanced options for customizing starting map range include:

- Use the current client location and adjust the map range to the location obtained
- Reopen the last viewed map range with every subsequent session of the Consumer Portal



# Administration Console

Prevent sending unsupported searches to Consumer Portal instances

Geospatial Portal Administrators can define Coordinate/Google/LUWS searches in WebGIS and then send them to any Consumer Portal instance.

To prevent breaking Consumer Portal instances, unsupported searches cannot be applied to the Consumer Portal instances. Breaking the instance might happen if the unsupported search is sent to a non-upgraded instance. Now Administration Console checks whether the Consumer Portal instance version is high enough to send a given search to it. If not, the search is hidden on the search list and cannot be selected and sent. Coordinate search is available from version 16.6.1, Google search is available from 16.6.2 and LUWS search is available from 16.7.0.

| → номе  |  |
|---|--|
| VINSTANCE MANAGEMENT  | $\rightarrow$ ADMINISTRATION CONSOLE $\rightarrow$ INSTANCE LIST $\rightarrow$ CONSUMER PORTAL CONFIGURATION   |
| → Instance List→ New Instance   | CP 16.7.1  |
| ✓ GEOMEDIA WEBMAP → System Settings   | Searching Configuration         Appearance         Starting Configuration         Map Compositions Behavior         Details           SELECT SEARCH SOURCE |
| Configuration Test     Publisher Settings     Service Sources     Previous Services     Product Information     CLIENT CONFIGURATION     Maps & Workspaces     3 <sup>4</sup> Party Map Providers | Available search sources  Builtin.CoordinateSearch GoogleSearch LUWSSearch.LUWS_search   |
| → Search Configuration<br>✓ SERVER CONFIGURATION ?<br><br>→ Hostname aliases  | RUN PORTAL REFRESH APPLY   |



Improvements to LUWS Search Configuration and usage

LUWS Search Configuration for Consumer Portal in Administration Console GUI

The LUWS is an exceptionally flexible method for finding geospatial information. It uses geocoding to determine the position and address of an object (POI). LUWS is a search service that can be compared to Google's search services. With LUWS, users can search addresses, points of interest, cadastral data or any defined geospatial objects.

Starting from version 16.7, users of Consumer Portal can search for objects by using the LUWS service. With the LUWS tab in the Search Configuration section of the Administration Console, it is possible to add a working LUWS service to the Consumer searches. Administrators can configure LUWS to be used with Consumer instances with a few mouse clicks; no programming skills are required. To make the process of the configuration of LUWS in Portals more friendly and intuitive a few LUWS-related improvements were introduced.

The first LUWS-related improvement is the automatic validation of provided LUWS URL. When the administrator configures the LUWS search for Consumer Portal and types or pastes the LUWS URL into the LUWS address field, it is validated for syntax and LUWS response and availability. If the validation fails, a field is marked with a red border and the tooltip notification is displayed.

|  | Database Search         LUWS         WMPS           DEFINE SEARCH         SELECT SEARCHABLE ATTRIBUTES         Selected search:  |
|--|--|
| correct LUWS<br>ervice address<br>provided | LUWS search99 LUWS service adress:* LUWS service adress:* LUWS dataset name:*  |
|  | Minimum candidate score:     Image: Constraint of the score:     Image: Cons |
|  | Chiefet type   |
|  | <b>DEFINE THE SEARCH ITEM DETAILS.</b><br>Provide LUWS service adress and parameters. Service adress and dataset name are mandatory.   |
|  |  |



The next improvement is the automatically populated LUWS dataset name field. If the LUWS service URL is valid, there is no need to type the dataset name. The field is populated with values automatically and in case the given LUWS service provides more than one dataset, the administrator who is configuring the LUWS search can easily choose the one from the pull-down list. If there is a change on the LUWS service side and the state of datasets changes, then after setting the focus on the LUWS address field, the LUWS dataset list is refreshed and updated.

| ADMINISTRATION CONSOLE   SEARCH CONFIGURATION  DEFINE SEARCH UWS UMPS  DEFINE SEARCH SELECT SEARCHABLE ATTREE  Selected search: LUWS Demo2  UWS SEARCH PARAMETERS UWS dataset name:*  NC | <image/> <section-header></section-header> |
|--|--|
|  | APPLY                                      |



#### Run LUWS button in Administration Console

With the latest GeoMedia WebMap release, administrators can press the new Run button assigned to a given LUWS instance entry. Pressing this new (for LUWS) Run button opens the LUWS locate.asmx service info page. Administrators can copy the URL to paste it into the Consumer search configuration or simply view more details about LUWS service by clicking the Service Description link provided.



#### Information about instance version

The current instance version is displayed on the instance configuration screen of the Administration Console. With this label displayed, it is now easy to determine which version of a service is being configured.

| → номе  |  |  |
|---|--|--|
| V INSTANCE MANAGEMENT                                       | ightarrow Administration console $ ightarrow$ instance List $ ightarrow$ webmap publisher portal configuration |  |
| <ul> <li>→ Instance List</li> <li>→ New Instance</li> </ul> | WEBMAPPUBLISHERPORTAL 16.7.1   |  |
|   | Appearance Starting Configuration Map Variants Behavior Map Services Layouts Workflow Manager Data Details     |  |
| V GEOMEDIA WEBMAP 🕜   | MAP VARIANTS BEHAVIOR  |  |
| → System Settings → Configuration Test                      | When Changing Map Variant Set New Variant's Map Range  |  |
| → Publisher Settings  | Filter Variants Out Of Scale Out Of Map Range  |  |
| → Service Sources → Previous Services                       | Method Of Changing Map Variant Buttons   |  |
| → Product Information                                       | RUN PORTAL REFRESH APPLY   |  |
|   | KON PORIAL REFRESH APPLY   |  |
| ✓ CLIENT CONFIGURATION ?                                    |  |  |
| → Maps & Workspaces   |  |  |
| → 3 <sup>rd</sup> Party Map Providers                       |  |  |
| → Search Configuration                                      |  |  |
|   |  |  |
| ✓ SERVER CONFIGURATION ?                                    |  |  |
| → Hostname aliases  |  |  |
|   |  |  |
|   |  |  |



Filtering instances list in Administration Console

Managing many service instances may be difficult, especially if you need to quickly find one item in the list in Administration Console. That's why we've introduced the filtering options in the Administration Console instance list. By using the filter options, available in the Instance list header, one can quickly find the required entry. Instances can be filtered by name or partial name, type and version simultaneously. With a few clicks, you can adjust the list view to the required list entries and/or sort them as well.

| U | PGRADE INSTA | NCES          | REMOVE IN  | STANCES     |                          |   |        |                         | NEW INS | STANCE |          |
|---|--------------|---------------|------------|-------------|--------------------------|---|--------|-------------------------|---------|--------|----------|
|   | Instance Na  | me            | <b>.</b> . | WMS (Map    | ) / INSPIRE View Service | ~ | 16.8.0 |                         | ]▲▼     | ACTION |          |
|   | WMS_FACA     | DE_OGC        |            | WMS (Map)   | / INSPIRE View Service   |   | 16.8.0 |                         |         | / + ×  |          |
|   | WMS_Lodz     |               |            | WMS (Map)   | / INSPIRE View Service   |   | 16.8.0 |                         |         | 🖌 🛧 🗙  |          |
|   | WMS_OGC      |               |            | WMS (Map)   | / INSPIRE View Service   |   | 16.8.0 |                         | 1       | / * ×  |          |
|   | → ADMINI     | ISTRATION COM | VSOLE → IN | STANCE LIST |                          |   |        |                         |         |        |          |
|   |              | ISTRATION COP |            |             | NSTANCES                 |   |        |                         |         | NEW I  |          |
|   |              |               |            |             |                          |   |        |                         |         | NEW I  | -        |
|   |              |               |            |             |                          |   | ~ ▲▼   | 16.8.0                  |         | NEW I  | -        |
|   |              | PGRADE INST   | ANCES      | REMOVE I    | NSTANCES                 |   | ~      | <b>16.8.0</b><br>16.8.0 |         |        | INSTANCE |
|   |              | PGRADE INST   | ANCES      | REMOVE I    | NSTANCES                 |   | V      |                         |         |        | INSTANCE |



## Administration Console Diagnostics

Logging is a well-known essential and handy function used for WebGIS products and services maintenance tasks. WebGIS administrators use the logging feature to track unexpected behavior of products, track down errors and quickly identify potential problems that may affect end users and their applications. Recorded events can provide valuable information for administrators and developers about configuration or connectivity issues.

Enabling logging for GeoMedia WebMap or Geospatial SDI services has so far required the administrator to edit the WebConfig file for the specific service, find specific parameters and change them directly in the file. Next, reading specific log files required a manual search in the folder structure for the product and finally editing the service log file in a text file editor of choice. In version 16.8, configuration and access to the service logs is much faster and simpler (although the old procedure is still possible.) Administrators of the 16.8 version can enable and get logs with a just few clicks in the Administration Console.

The Login tab in the Administration Console is where administrators can configure and view the logs for relevant instance services. The following new controls have been introduced:

- 1) Level: A drop-down list to select the required login level
- 2) Download button: Allows download from the server all log files related to the service instance
- 3) Latest Logs: Shows the latest log entries captured by the log service for the current instance. By default, 300 last entries are shown but it can be configured in the registry. To update the log view, it is required to press the Refresh button.

There is also good news for administrators preferring the use of the command line instead of GUI. All the log settings available on the Logging tab can also be made by using the PowerShell command line interface due to the built-in ACCLI module.





-[Metadata]

[PerformanceMonitoring]



# New technology (16.8.1)

# GeoMedia WebMap

## Enhanced configuration tasks for 64-bit Route Data Publisher

The latest enhancements to the 64-bit Route Data Publisher aim to streamline publishing of routing data. With dedicated tasks within the Route Data Publisher, administrators can now create optimized binary files more efficiently. These tasks include creating specific files that ignore the one-way nature of route segments, simplifying the process and ensuring accurate route calculations. Additionally, the calculations are performed quickly, ensuring good performance. These enhancements make administrators' work easier when publishing routing data and ensure smooth operations for the routing service.




## Manage WebMap Publisher connection renaming

When publishing GeoWorkspace contents to metadata, a dialog box prompts users about potential modifications to connection names. This prevents collision issues when publishing multiple workspaces to various service sources, ensuring unique identification by data source type and address. This is an existing feature.

Responding to power users' requests for greater control over connection names, a new registry setting has been introduced to disable the standard behavior of GeoMedia WebMap that renames the connections. Furthermore, this setting has been conveniently placed as a checkbox in the Publisher Settings within the Administration Console. By unchecking the option "Rename connections when publishing" users can retain their original connection names without being prompted for modifications during publishing.

In addition to the new Administration Console option, the configuration wizard pages have been enhanced to provide more flexibility. Users configuring a fresh installation of WebMap can now easily decide whether to apply automatic connection naming rules or maintain control over their connection names, tailoring the setup process to individual preferences. The "Rename connection when publishing" option also appears on the Publisher wizard screen for Publisher Settings.





# WMS legend graphics in vector format (SVG)

GeoMedia WebMap Administrators now can change the default legend graphic with SVG files. The functionality to change legend graphics with JPEG and PNG files was an existing feature, but support for SVG files is now also available. This enhancement expands the Web Publisher options in the Map Content > Display Options dialog window, enabling administrators to select SVG files alongside JPEG and PNG formats.

Users also gain the opportunity to work with the scalable high-resolution legend pictograms from the WMS service for presentation in the Consumer Portal and Geospatial Portal.

| Map Content  |  | ×   |  |
|--|--|---|--|
| Connections     Themes     DefaultTheme     DefaultTheme     DefaultTheme General-Overvi     DefaultTheme General-Overvi     State Names     Mager Chies | Major Oties legend entry<br>General Display Options<br>□ Queryable<br>□ Dpaque | Temporal Options<br>Select image Revert default |  |
| - Interstates<br>- Rivers<br>- Counties<br>- States  | Spatial filter egpansion facto   | Open<br>← → ▼ ↑                                 | Search SVG Graphics P  |
| Kapand All Collapse All  |  | cityscape.svg cityscape2.svg                    |  |
|  |  | File name:                                      | Graphic Files (*.png:*.jpg:*.jpg;*.svg)<br>Graphic Files (*.png:*.jpg;*.jpg;*.svg)<br>Open |



# WMS legend graphics configuration in Administration Console

As a GeoMedia WebMap administrator, you can now set the default format for the WMS legend graphic. A new attribute, defaultLegendGraphicFormat, is supported for WMSOriginatingPipe, allowing you to specify the default image format for the legend graphic. Available formats include image/svg+xml, image/png and image/jpeg. By default, the format is set to image/svg+xml.

This enhancement allows administrators to tailor the format of the legend graphic according to their preferences. You can adjust this setting per instance via the WMS web.config or by using the newly introduced Legend Graphic pull-down list in the Administration Console.

| → номе  |  |
|---|--|
| VINSTANCE MANAGEMENT  | → ADMINISTRATION CONSOLE → INSTANCE LIST → CONFIGURATION   |
| <ul> <li>→ Instance List</li> <li>→ New Instance</li> </ul>                                       | WMSWORLD 16.8.1  |
| ✓ GEOMEDIA WEBMAP ⑦ → System Settings   | Data Logging Performance Monitoring Service Hetadata Details GEOMEDIA WEBMAP DATA SOURCE CONFIGURATION |
| <ul> <li>→ Configuration Test</li> <li>→ Publisher Settings</li> <li>→ Service Sources</li> </ul> | Service Source WMSWorld V<br>Lagend Graphic image/svg+xml V  |
| <ul> <li>→ Previous Services</li> <li>→ Product Information</li> </ul>                            | Antrialising in PMG  |
| CLIENT CONFIGURATION     A     Maps & Workspaces  | Getfashreinfo  |
| <ul> <li>→ 3* Party Map Providers</li> <li>→ Search Configuration</li> </ul>                      | DATA SOURCE APPLY  |
| ✓ SERVER CONFIGURATION ?     Hostname aliases   |  |
| egend Graphic   | image/svg+xml 🗸  |
|   | image/svg+xml  |
| Anti-aliasing in PNG<br>output format   | image/png<br>image/jpeg  |
| Map Server Pool   | Default 🗸  |
|   |  |



# WMS GetFeatureInfo Tolerance setting

We've optimized the default tolerance setting for the GetFeatureInfo operation in WMS to elevate user experience and streamline administrative tasks. The default tolerance has been increased from 2 pixels to 9 pixels, aligning with common customer preferences.

This adjustment aims to simplify feature identification on maps across various scenarios. It also minimizes the need for manual adjustments by administrators. By default, this modification will apply to both newly created instances and upgraded instances, unless overridden in the web.config file.

Furthermore, we've introduced a graphical user interface (GUI) in the Admin Console's Data tab within the WMS configuration section. Administrators now have a dedicated field to effortlessly modify the tolerance setting for each WMS instance. This enhancement provides administrators with a more intuitive and efficient way to manage GetFeatureInfo tolerance, ensuring optimal performance across all instances.

| INSTANCE MANAGEMENT                                      | → ADMINISTRATION CONSO                | DLE   → INSTANCE LIST   → CONFIGURATION |   |             |       |
|--|---------------------------------------|---|---|-------------|-------|
| Instance List  | WMSWORLD 10                           | 5.8.1                                   |   |             |       |
| New Instance   |                                       |   |   |             |       |
|  | Data Logging                          | Performance Monitoring Service Metadata | Details   |             |       |
| GEOMEDIA WEBMAP  | GEOMEDIA WEBA                         | IAP DATA SOURCE CONFIGURATION           |   |             |       |
| System Settings  | GEOREDIA MEDI                         | AT DATA SUBACE CONTROLATION             |   |             |       |
| Configuration Test                                       | Service Source                        | WMSWorld                                | *   |             |       |
| Publisher Settings<br>Service Sources                    | Legend Graphic                        | image/svg+xml                           | *   |             |       |
| Previous Services  |                                       |   |   |             |       |
| Product Information                                      | Anti-aliasing in PNG<br>output format |   |   |             |       |
|  | Map Server Pool                       | Default                                 | ~   |             |       |
| CLIENT CONFIGURATION                                     | A                                     |   |   |             |       |
|  | GetFeatureInfo<br>Tolerance [px]      | 9                                       |   |             |       |
| Maps & Workspaces<br>3 <sup>st</sup> Party Map Providers |                                       |   |   |             | _     |
| Search Configuration                                     |                                       |   | and the second se | DATA SOURCE | APPLY |
|  |                                       |   |   |             |       |
| SERVER CONFIGURATION                                     |                                       |   |   |             |       |
|  |                                       |   |   |             |       |
| Hostname aliases   |                                       |   |   |             |       |
|  |                                       |   |   |             |       |
|  |                                       |   |   |             |       |
|  |                                       |   |   |             |       |
|  |                                       |   |   |             |       |
|  | otEast                                | turoInfo                                | 0   |             |       |
| G  | etFea                                 | tureInfo                                | 9   |             |       |
|  |                                       |   | 9   |             |       |
|  |                                       |   | 9   |             |       |
|  |                                       | tureInfo<br>ce [px]                     | 9   |             |       |



## Extended WebMap WFS to support 3D output

Administrators can now enable the new 3D output setting in the Administration Console under the WFS Configuration section.

Enabling this setting adds an additional third coordinate (Z) to feature requests, enhancing the capabilities of WFS services. This enhancement applies to various output formats, including XML and GeoJSON.

Configuration is available at the instance level, allowing precise control over 3D output for individual WFS services.

| → номе                                 |                     |   |             |       |
|--|---------------------|---|-------------|-------|
| V INSTANCE MANAGEMENT                  | → ADMINISTRATION CO | NSOLE  + INSTANCE LIST  + CONFIGURATION         |             |       |
| → Instance List                        | WFS_AFRICA          | 16.8.1  |             |       |
| → New Instance                         |                     |   |             |       |
|  | Data Logging        | Performance Monitoring Service Metadata Details |             |       |
| V GEOMEDIA WEBMAP                      |                     |   |             |       |
| a a                                    | GEOMEDIA WE         | BMAP DATA SOURCE CONFIGURATION                  |             |       |
| System Settings     Configuration Test | Service Source      | WFS_Africa 🗸                                    |             |       |
| Publisher Settings                     |                     | in oganos                                       |             |       |
| Service Sources                        | Map Server Pool     | Default 🗸                                       |             |       |
| Previous Services                      | 1 3D output         |   |             |       |
| → Product Information                  |                     |   |             |       |
| /                                      |                     |   | DATA SOURCE | APPLY |
| V CLIENT CONFIGURATION                 |                     |   |             |       |
| → Maps & Workspaces                    |                     |   |             |       |
| → 3" Party Map Providers               |                     |   |             |       |
| → Search Configuration                 |                     |   |             |       |
|  |                     |   |             |       |
| v SERVER CONFIGURATION                 |                     |   |             |       |
|  |                     |   |             |       |
| → Hostr                                |                     |   |             |       |
|  |                     | _ (   |             |       |
| 30.0                                   | utput               |   |             |       |
| , 000                                  | acput               |   |             |       |
| 1                                      |                     |   |             |       |
| 1                                      |                     |   |             |       |
| L                                      |                     |   |             |       |
|  |                     |   |             |       |



**Geospatial SDI** 

# GeoJSON output format support in Geospatial SDI's WFS Façade

You can now get and consume the Geospatial SDI's output in GeoJSON format. The application/geo+json output format is available out of the box, requiring no additional server-side configuration. Other formats like XML, HTML or plain text are still available.

|   | ▼ <wfs:outputformats></wfs:outputformats>                              |
|---|--|
|   | <wfs:format>text/xml; subtype=gml/2.1.2</wfs:format>                   |
|   | <wfs:format>text/xml; subtype=gml/3.0.0</wfs:format>                   |
|   | <wfs:format>text/xml; subtype=gml/3.1.1</wfs:format>                   |
|   | <wfs:format>text/xml; subtype=gml/3.2</wfs:format>                     |
|   | <pre><wfs:format>application/gml+xml; version=2.1.2</wfs:format></pre> |
|   | <pre><wfs:format>application/gml+xml; version=3.0.0</wfs:format></pre> |
|   | <wfs:format>application/gml+xml; version=3.1.1</wfs:format>            |
|   | <pre><wfs:format>application/gml+xml; version=3.2</wfs:format></pre>   |
|   | <wfs:format>RSS</wfs:format>   |
|   | <wfs:format>application/vnd.google-earth.kml+xml</wfs:format>          |
|   | <wfs:format>myVR</wfs:format>  |
|   | <wfs:format>application/vnd.geo+json</wfs:format>                      |
|   | <wfs:format>application/geo+json</wfs:format>                          |
|   | <wfs:format>text/csv</wfs:format>                                      |
|   | <wfs:format>application/x-protobuf</wfs:format>                        |
|   |  |
| _ | -  |



# Enhanced Catalog Editor UI, INSPIRE 2.0 ready

The Catalog Editor is a vital tool for managing database records associated with specific services. It enables users to organize, validate and export XML files containing metadata relevant to their datasets.

In line with evolving standards, we've enhanced the Catalog Editor to align with INSPIRE 2.0 specifications. These updates reflect our commitment to ensuring compliance with the latest regulatory frameworks governing geospatial data management.

One notable enhancement is the streamlined validation process. Users can now validate multiple files simultaneously, with any errors promptly displayed in a new window and logged for reference. This intuitive approach eliminates the need to search for specific log files, enabling users to quickly identify and rectify any issues.

Additionally, the Catalog Editor now supports multiple languages specified in official INSPIRE data, ensuring that validation processes are accessible and effective for users across many languages.

This comprehensive support improves usability and ensures that users can easily navigate the validation process in their preferred language, making their metadata management workflows more efficient and effective.





Handle multiple Feature Info formats in WMS with authorization

Geospatial SDI enables the configuration of an authenticated WMS with support for multiple Get Feature Info formats.

Previously, attribute authorization within the WMS was limited to the text/xml format. However, with version 16.8.1, this functionality has been expanded to include the application/gml+xml; version=3.1 format.

Additionally, we've introduced support for text/html formats, with attribute authorization exclusive to recognized formats originating from GeoMedia WebMap.

To provide users with more control, a new setting has been added to the <AuthorizationPipe> section of the WMS Web.config configuration file: "getFeatureInfoHandling." This parameter allows users to choose between "Strict" or "Lax" modes. In "Strict" mode (the default option), the Feature Info format is restricted to text/xml for authorized services. Conversely, "Lax" mode permits all Feature Info formats for authorized services, although attribute filtering is only supported for GeoMedia-formed formats.





# GeoMedia WebMap Mobile and Mobile Publisher

#### WebMap Mobile offline usability enhancement

This update brings enhanced offline capabilities, allowing you to access stored configurations even when online but disconnected from the server. Receive real-time notifications upon logging into cached offline configurations. Modify data offline and save changes locally for future synchronization. Uploading changes to the server is seamless once the connection is restored, ensuring data integrity. Additionally, signing out will disable access to the saved offline configuration for enhanced security.



Mobile Backend Server Connected

Mobile Backend Server Disconnected



## WebMap Mobile settings on start screen

The Settings button is now conveniently accessible from the bottom right corner of both the Configuration URL and Login entry screens. This makes adjusting settings easier and more intuitive, offering quicker access to customization options.







Display direction arrow for WebMap Mobile GPS marker

The arrow now indicates the direction the user is facing, adjusting dynamically as the phone or tablet rotates. This feature provides orientation information for users exploring outdoors or adding new features, enhancing usability, especially for marking the current location and navigating in the field.





## Altitude Auto Fill in WebMap Mobile

GeoMedia WebMap Mobile Publisher administrators can now empower field inspectors with even more precise location data by capturing the current GPS location, including longitude, latitude and altitude. This feature provides valuable context for fieldwork and ensures accurate data collection. Please ensure that the device's location access is enabled for this function to work correctly. If altitude data is unavailable, only longitude and latitude will be captured.

It's worth noting that administrators preparing the mobile configuration have access to other auto-fill types, such as static value, current date and time, GPS location with latitude and longitude only, username and unique identifier. These options remain consistent with previous versions.

Upgrade to the latest GeoMedia WebMap Mobile app to leverage this new feature and enhance your field data collection workflows.

|    | Source Name  |              | Di       | splay Name             | Visible                | Editable          | Mandatory    | Source  | Туре   | Display 7    | ype         |  |            |                  |
|----|--------------|--------------|----------|------------------------|------------------------|-------------------|--------------|---------|--------|--------------|-------------|--|------------|------------------|
|    | ID1          | ID1          |          |                        | 1                      |                   |              | Longint | eger   | Long Integer | •           |  |            |                  |
| č. | TEXT         | TEX          | Т        |                        | •                      |                   |              | Text    |        | Auto Fill    | •           |  |            |                  |
|    | MEMO         | ME           | ON       |                        |                        |                   |              | Memo    |        | Memo         |             |  |            |                  |
|    | SHORTINTEGER | SHC          | ORTINT   | EGER                   |                        |                   |              | Integer |        | Integer      | •           |  |            | Selected 1/1     |
|    | LONGINTEGEP  | Confi        |          | EXT' as Auto Fill      | -                      | -                 | -            |         |        | × teger      | •           |  |            |                  |
|    | SINGLE       | Conii        | gure     | EAT as Auto Fill       |                        |                   |              |         |        | ^            | •           |  |            | TramStops        |
|    | DOUBLEN      | Defaulte     |          |                        |                        |                   |              |         |        |              |             |  |            | GPS location     |
|    | BOOLEAN      | Static value |          |                        |                        |                   |              |         |        |              |             | ►19.5502463,51.7548646,266.6999  |            |                  |
|    | DATED        | Usen         | name     |                        |                        |                   |              |         |        |              | -           |  |            | 894531           |
|    | DATEDT       |              | ent date | and time               |                        |                   |              |         |        |              | · ·         |  |            | Altitude         |
|    | DATET        | Curre        | ent GPS  | location               | 100                    |                   | N            |         |        |              |             |  |            | 266.699981689453 |
|    | AUDIO        |              | ue ID    | location with altitude |                        |                   | 20           |         |        |              |             |  |            |                  |
|    | PHOTO        | PHC          | OTO      |                        | 5                      |                   |              | Memo    |        | Мето         | ×           |  |            |                  |
|    | VIDEO        | VI           | Config   | ure attributes disp    | lay in Mi              | bile app          | for TramStor | DS .    |        |              |             |  | ×          |                  |
|    | SIGNATURE    | SI           |          |                        | -                      |                   |              | A.E.    |        |              |             |  |            |                  |
|    | DOCX         | D            |          | Source Name            | -                      | Display N         | ame          | Visible | Edital |              |             | and the second sec |            |                  |
|    | PDF          | PI           |          | ID1                    | ID1                    |                   |              | 1       |        |              | Longinteger | Long Integer   | <u> </u>   |                  |
|    |              |              |          | TEXT                   | TEXT                   |                   |              | •       | 12     |              | Text        | Auto Fill  | <u> </u>   |                  |
|    |              |              |          | MEMO                   | MEMO                   |                   |              |         |        | Г            | Memo        | Memo   | <u> </u>   |                  |
|    |              |              |          | SHORTINTEGER           | 1.000                  |                   |              |         | Г      | Г            | Integer     | Integer  | ×          |                  |
|    |              |              |          | LONGINTEGER            |                        |                   |              | -       |        |              | Longinteger | Lonn Integer   | <u> </u>   |                  |
|    |              |              |          | OTTOLL                 | Configur               | e DOURL           | EN' as Auto  | Fill    |        |              |             | ~  | ^ <u> </u> |                  |
|    |              |              | 1        | DOUBLEN                |                        |                   |              |         |        |              |             |  | •          |                  |
|    |              |              |          | BOOLEAN                | Static va              |                   | - IC         | 0.00    |        |              |             | -  | -          |                  |
|    |              |              |          | DATED                  | Static va<br>Current ( | lue<br>SPS accurs | ecv.         |         |        |              |             | -  | <u> </u>   |                  |
|    |              |              |          | DATEDT                 | Current I              | atitude           |              |         |        |              |             | ne   | <u> </u>   |                  |
|    |              |              |          | DATET                  | Current a              |                   | 23           |         | Help   | 0            | Car         | cel  | -          |                  |
|    |              |              |          | AUDIO                  | -                      |                   |              | 1       | 1      |              | 1           |  | ·          |                  |
|    |              |              |          | РНОТО                  | PHOTO                  |                   |              | -       | -      | E            | Memo        | Memo   | <u> </u>   |                  |
|    |              |              |          | VIDEO                  | VIDEO                  |                   |              |         |        |              | Memo        | Memo   | ·          |                  |
|    |              |              |          | SIGNATURE              | SIGNAT                 | URE               |              |         |        |              | Memo        | Memo   | <u> </u>   |                  |
|    |              |              | _        | DOCX                   | DOCX                   |                   |              |         |        | Ē            | Memo        | Memo   | <u> </u>   |                  |
|    |              |              |          | PDF                    | PDF                    |                   |              |         |        |              | Memo        | Memo   | ·          |                  |



Support for Consumer HTML Feature Info format in the WebMap Mobile app

Due to the new improvement – support for the HTML Feature Info format in the WebMap Mobile app – users can view WMS Feature Info in HTML format in the consumer portal configuration being displayed in the WebMap mobile app. Whether consumed in a web browser or a mobile app, the HTML Feature Info format is now available for Consumer configuration, providing a seamless experience across platforms.





# Support for Consumer Portal search templates in WebMap Mobile app

Previously, search results in the mobile app appeared in a simple text format. Now, the results display has been visually enhanced for better usability. They appear larger and are separated, making it easier for users to accurately select their desired result. New icons represent different types of search results, such as airports or shopping galleries, improving visual clarity. Additional details, such as country, city or street name, are displayed at the bottom of the main title, providing context. These updates are also aligned with LUWS and include dedicated icons for improved readability and separation. Furthermore, new icons for coordinate searches were introduced. This enhancement aims to provide users with a better Consumer Portal native experience in the mobile environment, enhancing usability and productivity.





Support for colored image-styled features in WebMap Mobile app

This extension broadens the capabilities for defining thematic legends in the WebMap Mobile app. While previous versions supported thematic legends with a default simple style, this update brings significant improvements.

With this update you can define a specific picture for each thematic layer's legend entry, and these customized legends can be successfully displayed in the WebMap Mobile app, providing a richer and more visually appealing thematic experience.

Moreover, as a WebMap Mobile Publisher user, you can prepare thematic images with specific colors and publish them for the WebMap Mobile app. This allows for consistent and visually coherent thematic representations across the WebMap Mobile app.







# Geospatial Portal and Consumer Portal

#### Speed up the first display of WMS in the Geospatial Portal

The Consumer Portal has been enhanced to optimize the initialization process for WMS services with complex capabilities documents. Previously, users had to wait until the WMS service was fully initialized to view map data and access certain functionalities like feature info. With this improvement, users can now view map data and zoom in even while the service is still initializing, making the quick start of the portal more efficient. This enhancement is particularly beneficial for WMS services with lengthy capabilities documents, reducing wait times and improving the overall user experience.





## Geospatial Portal Zoom to layer and Fit layer

The recent improvements to the Geospatial Portal aim to enhance user experience by addressing visibility issues related to layer availability and scale. Previously, users had to manually adjust the zoom level to make layers visible, leading to inefficiencies in map navigation. However, the introduction of **Zoom to layer** button, lets users quickly navigate to layers that are currently out of scale.

The **Zoom to layer** button features a magnifier icon, with a minus sign indicating zooming out and a plus sign indicating zooming in. A check mark appears when the layer is within scale. When users try to Zoom to layer for a layer that is currently in scale, an appropriate pop-up notification will be shown. This functionality considers both service scale limitations and defined scale bands, ensuring that only relevant data is displayed on the map.

Furthermore, the Fit layer option, denoted by a new icon, allows users to quickly adjust the map view to fit the selected layer. This functionality works as before, but now indicates when a layer is already fitted on the map. A check mark has also been added to the icon. These enhancements aim to streamline map navigation and improve the overall user experience for our customers.





# Introduction of Zoom to Layer for Consumer Portal

Enhancements to the Consumer Portal also include introducing a **Zoom to layer** button, facilitating quick navigation to layers outside the current scale. The button features a magnifier icon, with plus and minus symbols indicating zoom direction. Additionally, a check mark icon denotes when a layer is within scale. This feature is available for both window and panel layouts and aligns with the concept introduced in the Geospatial Portal, ensuring consistency across portal designs.



Zoom in to see the layer

The layer is in scale

Zoom out to see the layer



# Display Nominal Scale in Consumer Portal

The scale display feature in the Consumer Portal has been revamped to provide users with a more comprehensive and unified experience with a scale display. Previously, users only had access to a scale ruler in the bottom right corner. Now, this section includes the nominal scale alongside the scale ruler. Both scales' presentations are consolidated into a single component known as the scale.

To give Consumer Portal users greater control over their view, there is a setting in the Consumer Portal settings menu titled "Show Scale." It allows users to toggle the scale component on or off.

These settings can be further customized in the Admin Console by administrators managing Consumer Portal instances. Within the appearance tab of the Consumer Portal instance settings, administrators will find check boxes for both "Show Scale Bar" and "Show Nominal Scale." By default, both check boxes are enabled, ensuring no disruption for existing users. However, administrators now have the flexibility to choose which scale-type presentations are visible to users. They can select all, none or a combination of scale presentations based on their preferences and requirements.





Single-click Feature Info for vector layers in Consumer Portal

In the latest release, we've introduced a convenient enhancement to the Consumer Portal: Single-click Feature Info for vector layers. This feature streamlines the process of accessing Feature Info for vector objects served by the WFS service. Now, users can simply click on a feature to display its information without the need to activate the Feature Info mode separately. This improvement enhances the user experience by reducing unnecessary clicks and simplifying the workflow. Importantly, this feature is available out of the box, meaning administrators do not need to configure it separately.





# Support for custom WMS tile size in Consumer Portal

We're thrilled to introduce the capability to customize tile sizes for WMS displayed in the Consumer Portal. This enhancement enables users to consume WMS maps using tiles of dimensions different from the default settings.

Configuring custom WMS tile sizes is quick and easy, leveraging the familiar functionalities of the Administration Portal. Here's how to set custom WMS tile sizes for the Consumer Portal:

- Register and display the WMS in the Administration Portal
- Navigate to the Map Content menu in the Administration Portal and change the Display Mode to Tiled
- Specify your desired custom width and height (in pixels) for the WMS tiles
- Save the map configuration within the Consumer Portal starting workspace

Once configured, users can seamlessly consume the tiled WMS layers with the specified tile size directly in the Consumer Portal.

This feature provides greater flexibility and customization options for map display, empowering users to tailor their viewing experience according to their preferences.





## Improved UI for Consumer Portal Measurements

The Consumer Portal now supports the concurrent display of multiple measurements, offering enhanced versatility in data analysis. Users can take measurements of various types, including point coordinates, lines and areas, with the flexibility to initiate new measurements at any time. Each measurement remains visible on the map, allowing for easy reference and comparison.

Furthermore, the Consumer Portal seamlessly integrates measurement functionality with other features, such as displaying Feature Info or accessing the Google Street View window. This enables users to leverage multiple tools simultaneously, enhancing the overall user experience and productivity.

Measurements remain visible on the map until they are removed by the user with the new Clear Measurements button.





#### Define Custom Units for Consumer Portal Measurements

Enhanced customization options for measurement units are now available in the Consumer Portal, beginning with version 16.8.1. While the default units remain metric or imperial, administrators now have the flexibility to incorporate any desired measurement unit.

A tab called "Measurement" has been added to the Consumer Portal configuration section. This tab houses a robust editor where administrators can craft their own measurement system units using JSON-like format and syntax. Designed for ease of use, the editor offers helpful hints to guide users through the process of defining fully customized measurement system units.

Administrators can define custom units for a variety of measurements, encompassing areas, lines and points. Furthermore, they can customize symbols and meter factors to align with specific requirements. This feature enables users to tailor measurement units to meet their individualized needs and preferences.

| earching Configure                         | ation Measurement Appearance Logging Starting Configuration Map Compositions Behavior Details  |
|--|--|
| Default measure<br>unit<br>System of units | metric     ~       1     { "fu":(       3       "scaleMap": (       4       "area": (       5       "i000":(       6       "symbol": "fu <sup>2</sup> ",       7       digits": 9       8     },       9       "le6": "fu <fu< td="">       10       )       11     }       12     }</fu<> |
|  | Reset to defaults           RUN PORTAL         REFRESH         APPLY   |



Easy change of measurements unit system in Consumer Portal

Consumer Portal UI now supports switching between metric, imperial and custom unit systems defined by administrators. Users have the flexibility to switch units for upcoming and existing measurements. Changing the unit in settings triggers a refresh of existing measurements to ensure accuracy and consistency.





Define the Default Search Extent Size for the Consumer Portal

Beginning with version 16.8.1, it is possible to specify the map extent at which pins showing search results will be displayed upon clicking on one of the results.

In the Searching Configuration section for Consumer Portal instances, a new input field has been introduced: "Default Search Results Extent Size (Meters)."

With the new input field, the administrator can now specify the length of the bounding box edge in meters. This setting applies to all searches defined for the instance, providing users with greater control over the extent size of search results. Previously, this value was fixed at zero. A zero value means that when performing a search and clicking on the search result, the bounding box for the search result was automatically set to the maximum scale available.





Introduced ability to distinguish multiple LUWS searches in Consumer Portal

Introducing an enhancement to LUWS searches in Consumer Portal. This improvement provides users with enhanced visibility and customization options for search results. Previously, users encountered challenges in distinguishing search results from different LUWS searches. With the new approach, users can now easily identify which service search the results belong to, which streamlines the search experience, particularly for users with multiple location service searches configured.

Additionally, users now can rename search service names directly from the Admin Console Search Configuration section. This customization option empowers users to personalize their search experience according to their specific requirements. By choosing dataset names and applying changes, users can easily distinguish between different search services and datasets.

These enhancements aim to improve the user experience by providing clearer identification of search results and enabling users to customize search service names to suit their preferences, streamlining the search process and enhancing productivity for our users.





Enhanced search in Consumer Portal for mobile devices

The Clear search button now automatically appears as you type, replacing the previous magnifier icon. Clicking the Clear button resets the search, switching back to the magnifier for subsequent searches.

On mobile, the search bar now opens centered, enhancing thumb accessibility. When selecting a search result, the results list is temporarily hidden, minimizing distractions. Tapping the search bar brings back the list, simplifying the search process.

These improvements are compatible with all search types handled by the consumer. Enjoy a smoother, more intuitive search experience with these updates. Your feedback is always welcome as we strive to enhance your experience further.





# Portal SDK: Print button in Consumer Portal

This new functionality enhances the user experience by providing easy access to print previews directly from the portal interface.

Developers utilizing the Consumer Portal SDK will find a new code example in the User Interface section, titled "Adding Print Button to the Toolbar." This script adds a printer icon button to the toolbar, located on the left side of the Consumer Portal interface.

Administrators can easily customize Consumer Portal by copying the provided script and adding it to the custom.js file for the desired Consumer Portal instance. Once added, users will see the new button with the printer icon in their portal toolbar.

With this new button, users can conveniently access the print preview feature maintained by their web browser, making printing from Consumer Portal a seamless experience. This update provides an intuitive solution for users to print content from Consumer Portal, enhancing its functionality and usability.





#### Portal SDK: Consumer extension points and new examples

We've introduced some updates to improve the customization capabilities and user experience of Consumer Portal, providing developers with the tools and examples needed to create a more tailored and interactive environment.

#### Consumer extension point to open details window from code

Extension points in the \$GP/Consumer Portal SDK enable customizers to programmatically open the Search Details window when a search result is clicked, with the selected result displayed. Additionally, closing the Search Details window will trigger an event, allowing customizers to intercept it through \$GP.events. This enhancement facilitates more dynamic and interactive search experiences, allowing for greater customization and user engagement.

#### New examples showcasing sidebar and toolbar customization in Consumer Portal

New code examples are now available, demonstrating how to style sidebar and toolbar buttons in Consumer Portal using custom images, like SVGs. These examples provide valuable guidance for customizers, helping them enhance the visual appeal and functionality of the sidebar and toolbar and enabling the use of custom icons and images for a more personalized user interface.





Portal SDK: Updated Consumer search templates

In Consumer Portal 16.8.1, customization of search result presentations is even more flexible. Default templates for elements like result lists, tooltip frames and detailed views have been enhanced.

Specifically, the default.resultlist.tmpl file has been replaced with default.resultList.template.jsx. However, the other template files remain unchanged. Now, users have the option to create new templates for individual elements, all three or any combination of them, offering greater customization possibilities.





# Portal SDK: Consumer Portal API documentation and samples

Consumer Portal SDK documentation was redesigned to enhance readability and navigation based on current JavaScript documentation standards.

With a sleek new layout featuring company branding and intuitive navigation elements, including clickable class paths and a dynamic method section, users can easily explore the SDK's functionalities.

Notable features include a method section with detailed descriptions, optional parameter markers and a few new code examples for customizing sidebar and toolbar icons. These new examples demonstrate various approaches to icon customization, empowering users to personalize their Consumer Portal experience effortlessly.

| a<br>basernapa<br>lons<br>lavarta<br>langend<br>Bitrates          |  | Geospatial Portal SDK 2023<br>Consumer Portal SDK 2023 API Documentation  |   |
|---|--|---|---|
| map<br>map.draw   |  | DN Consume Partial API Documentation  |   |
| Yaqi (Yeana)<br>Yeaqi për<br>Yeanices<br>Yervices<br>Ve browser   | Same<br>Sci<br>SCP<br>SCP Same<br>SCP Sa   | \$GP.map.pin<br>Methods   | ang mang m<br>mark<br>alaw<br>and the state   |
| W. search<br>W. secolor<br>W. toolbar<br>Waltoolbar<br>Waltoolbar | ECP server<br>SCP segment<br>SCP segment<br>SCP seeguiteses<br>SCP seeguiteses<br>SCP seeguites<br>SCP seeguites | WETTODS add(cenfig, callback.or) + (wid) Add per borners includes Geodesic Fedure-Olections, Fedures and all geometry types supported by Leefer. When geometry is not a paint, then port is taken from the crossing of diagonals of text borners includes Geodesic Control of Contr  | Hang (generation)<br>and Phylocolationa<br>(constraintion)<br>(eff-balancy-constraintion) |
| erdben<br>uSeardtPles   | Structure<br>Structure   | Name Spe Address Description  |   |
|   | ROP of Second<br>ROP of Hearth   | config alone. Configuration parameters. Ether papers or card y a parts much to product  |   |
|   | 80P is tellow<br>80P is tellow<br>80P alto<br>80P alto<br>Satellapher<br>Fatters                                 | HEXAGON Consumer Portal API Documentation   |   |
|   | Lagardan<br>Manduar Matar<br>Ju.<br>Anire -  | Margine<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billingson<br>Billings | e events  |
|   |  | <ul> <li>* .*</li></ul>   |   |



# Portal SDK: Enhanced Geospatial Portal API and modernized Format Converter

Update 1 enhances the functionality and usability of the Geospatial Portal SDK, providing developers with improved tools for customizing and managing geospatial data.

#### Expose Legend Item ID for Custom Code

The Geospatial Portal API has been extended to expose the LegendItem ID. Previously, the /api/LegendItem only allowed getting and setting the name and priority, which could lead to situations where LegendItems were not uniquely identifiable. With the get\_id() method, programmers can now reliably identify LegendItems within the Portal SDK, ensuring more precise and efficient custom code implementation.

#### Enhanced workspace update from API

The Geospatial Portal API extension was provided for \$GP.user.workspace methods add() and update() to translate workspaces into Consumer format. By introducing the isConsumerCompatible parameter, programmers can decide whether the added or updated workspace shall be automatically available in Consumer Portal. One customizing Geospatial Portal has the \$GP.user.maps method giving an additional update() contract.

#### Modernized Format Converter

The Format Converter in the Portal SDK has been modernized to address several issues. The Format Converter API examples have been updated to use distinct data and symbology. This change ensures the results of the two Format Converter usage API examples are easily distinguishable, preventing confusion and duplication of features on the map when run sequentially. With this update it is now recommended to use client-side reprojection instead of server-side.



# System requirements (16.8.0)

| GeoMedia WebMa  | ap  |
|---|---|
| Operating systems   | <ul> <li>Windows Server 2016 (64-bit)</li> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2022 (64-bit)</li> <li>Notes:</li> <li>All later service packs are considered viable unless otherwise noted. See the Support website for specific notices.</li> <li>On the client side (Geospatial Portal and/or GeoMedia WebMap Publisher Portal), any operating system equipped with one of the supported browsers will work.</li> </ul>  |
| Operating systems<br>for GeoMedia<br>WebMap Mobile<br>App | <ul> <li>iOS version 15.x or later</li> <li>Android version 7.0 or later</li> <li>Windows 10</li> </ul>   |
| Server-side<br>database engines                           | <ul> <li>Oracle Server 12c R2 (12.2.0.1)</li> <li>Oracle Server 18c (12.2.0.2)</li> <li>Oracle Server 19c (12.2.0.3)</li> <li>Oracle Client 12.2.0 (32-bit)</li> <li>Oracle Client 18.5.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.13.0 (32-bit)</li> <li>Oracle Client 19.19.0 (32-bit)</li> <li>Oracle Client 19.19.0 (32-bit)</li> <li>SQL Server 2014</li> <li>SQL Server 2016</li> <li>SQL Server 2017</li> <li>SQL Server Express 2016</li> <li>SQL Server Express 2017</li> <li>SQL Server 2019</li> <li>SQL Server 2019</li> <li>SQL Server Express 2019</li> <li>SQL Server Express 2022</li> <li>SQL Server Express 2022</li> <li>SQL Server 10.2</li> <li>SQL Server 2019</li> <li>SQL Server 2022</li> <li>SQL Server 10.2</li> <li>SQL Server 2019</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2021</li> <li>SQL Server 2022</li> <li>SQL Server 2022</li> <li>SQL Server 2023</li> <li>SQL Server 2024</li> <li>SQL Server 2025</li> <li>SQL Server 2025</li> <li>SQL Server 2026</li> <li>SQL Server 2026</li> <li>SQL Server 2027</li> <li>SQL Server 2028</li> <li>SQL Server 2028</li> <li>SQL Server 2029</li> <li>SQL Server 2029</li> <li>SQL Server 2020</li> <li>SQL Server 2020<!--</td--></li></ul> |



|  | PostgreSQL 14 with compatible version of PostGIS     Destans 201 45 with some still some of PostGIS   |
|--|---|
|  | PostgreSQL 15 with compatible version of PostGIS  |
|  | Notes:  |
|  | <ul> <li>All later service packs are considered viable unless otherwise noted. See the Support<br/>website for specific notices.</li> </ul>   |
|  | Access (MDB) is considered viable   |
|  | GeoPackage is considered viable   |
|  | No database engine is required on the client side nor to run the Administration Console   |
|  | <ul> <li>SQL Server Native Client 10.0 or higher is needed for the Database Utilities to automatically create the correct GeoMedia metadata for date, time and datetime data types when using a SQL Server or SQL Server Spatial warehouse. You may get SQL Server Native Client 10.0 or higher from the corresponding Microsoft websites. If the SQL Server Native Client is not installed on the system, you need to manually choose Date as the data type from the drop-down combo box for these data types in the Feature Class Properties dialog and set the format properly.</li> </ul> |
|  | Firefox 116 or higher   |
|  | Google Chrome 116 or higher   |
|  | Microsoft Edge 115 or higher  |
|  |   |
|  | Notes:  |
| <b>O</b> H   | <ul> <li>Versions stated above are the versions certifications were conducted on. The software<br/>should work on newer versions of these browsers, but they were not officially certified.</li> </ul>  |
| Client-side internet<br>browsers                                 | <ul> <li>The 3D features of Geospatial Portal Classic require native WebGL support. WebGL is<br/>available in Firefox, Chrome and Edge.</li> </ul>  |
| (Client is Geospatial<br>Portal and GeoMedia<br>WebMap Publisher | <ul> <li>Web browser issues found on the GeoMedia WebMap product that are no longer supported<br/>by the browser vendor can be addressed within a limited scope by Hexagon. Refer to vendor<br/>sites for information on their web browser support policies.</li> </ul>   |
| Portal)  | <ul> <li>The mobile versions listed as supported web browsers are compatible with GeoMedia<br/>WebMap. However, differences in system architecture and mobile device limitations may<br/>result in some of the functionality being unavailable when running on a mobile browser.<br/>Hexagon will attempt to address any mobile browser issues; however, a solution may<br/>ultimately depend on support from the browser provider.</li> </ul>  |
|  | <ul> <li>The Internet Explorer (IE) 11 desktop application ended support for Windows 10 semiannual<br/>channel on June 15, 2022. For more information visit <a href="https://docs.microsoft.com/en-us/lifecycle/products/internet-explorer-11">https://docs.microsoft.com/en-<br/>us/lifecycle/products/internet-explorer-11</a>.</li> </ul>  |
|  | Google Chrome   |
|  | Notes:  |
| Server-side<br>internet browsers                                 | <ul> <li>Google Chrome is required on the server side only to provide printing functionality unless<br/>Internet Explorer 11 or PhantomJS engine is used.</li> </ul>  |
|  | Internet Explorer 11 has retired and is officially out of support.  |
|  | • To run the Administration Console directly on the server host machine, any browser listed in client-side internet browsers can be used. Administration Console can be run remotely from the client side.  |
| Client-side system   | GeoMedia or GeoMedia Professional 16.8  |
| dependencies and additional software                             | Notes:  |
|  |   |



|   | GeoMedia or GeoMedia Professional is required for GeoMedia WebMap Publisher<br>Administrator.  |
|---|--|
| Server-side system dependencies and additional software | <ul> <li>.NET Framework 4.7.2</li> <li>Microsoft Identity Foundation</li> <li>Windows Installer 3.1 or higher</li> <li>Internet Information Services (IIS) 10.0</li> </ul> |



| Geospatial Portal                |  |
|----------------------------------|--|
| Server-side<br>operating systems | <ul> <li>Windows Server 2016 (64-bit)</li> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2022 (64-bit)</li> </ul>   |
| Database engines                 | <ul> <li>Oracle Server 12c R2 (12.2.0.1)</li> <li>Oracle Server 18c (12.2.0.2)</li> <li>Oracle Server 19c (12.2.0.3)</li> <li>Oracle Client 12.2.0 (32-bit)</li> <li>Oracle Client 18.5.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.18.0 (32-bit)</li> <li>Oracle Client 19.18.0 (32-bit)</li> <li>Oracle Client 19.19.0 (32-bit)</li> </ul>  |
| Client-side internet<br>browsers | <ul> <li>Firefox 116 or higher</li> <li>Google Chrome 116 or higher</li> <li>Microsoft Edge 115 or higher</li> <li>Notes:</li> <li>For browsers: Firefox, Google Chrome and Microsoft Edge versions stated are the versions that certification was conducted on. The software is expected to work on newer versions of these browsers, but they were not officially certified.</li> <li>The 3D features of Geospatial Portal require native WebGL support. WebGL is available in Edge, Firefox and Chrome.</li> <li>Web browser issues found on the Geospatial Portal Classic product that are no longer supported by the browser vendor can be addressed with a limited scope by Hexagon. Refer to vendor sites for information on their Web browsers support policies.</li> <li>The mobile versions listed as supported web browsers are compatible with GeoMedia WebMap. However, differences in system architecture and mobile device limitations may result in some of functionality being unavailable when running on a mobile browser. Hexagon will attempt to address any mobile browser issues; however, a solution may ultimately depend on support (IE) 11 desktop application ended support for Windows 10 semiannual channel on June 15, 2022. For more information visit https://docs.microsoft.com/enus/lifecycle/products/internet-explorer-11.</li> </ul> |


| Server-side internet<br>browsers                        | Google Chrome  |
|---|--|
|   | <ul> <li>Notes:</li> <li>Google Chrome is required on the server side only to provide printing functionality unless<br/>Internet Explorer 11 or PhantomJS engine is used.</li> <li>Internet Explorer 11 has retired and is officially out of support.</li> <li>To run the Administration Console directly on the server host machine, any browser listed in<br/>client-side internet browsers can be used. Administration Console can be run remotely from<br/>the client side.</li> </ul> |
| Server-side system dependencies and additional software | <ul> <li>.NET Framework 4.7.2 or higher</li> <li>Windows Identity Foundation</li> <li>Windows Installer 3.1 or higher</li> <li>Internet Information Services (IIS) 10.0</li> </ul>   |



| Geospatial SDI    |   |
|-------------------|---|
| Operating systems | <ul> <li>Windows Server 2016 (64-bit)</li> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2022 (64-bit)</li> </ul>  |
| Database engines  | <ul> <li>Oracle Server 12c R2 (12.2.0.1)</li> <li>Oracle Server 18c (12.2.0.2)</li> <li>Oracle Server 19c (12.2.0.3)</li> <li>Oracle Client 12.2.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>SQL Server 2014</li> <li>SQL Server 2016</li> <li>SQL Server 2016</li> <li>SQL Server 2017</li> <li>SQL Server Express 2016</li> <li>SQL Server Express 2017</li> <li>SQL Server 2019</li> <li>SQL Server Express 2022</li> <li>SQL Server Express 2022</li> <li>SQL Server Express 2022</li> <li>SQL Server Express 2012</li> <li>SQL Server Native Client 10.0 or higher</li> <li>Azure SQL Database compatible with SQL Server 2014, 2016, 2017, 2019 or 2022</li> <li>PostgreSQL 11 with compatible version of PostGIS</li> <li>PostgreSQL 12 with compatible version of PostGIS</li> <li>Access® 2010 (MDAC2010 v14)</li> <li>GeoPackage</li> <li>Notes:</li> <li>For all later service packs, see the Support website for specific notices</li> <li>NHibernate, Log4Net and ADO.NET are used for accessing databases in SDI Pro Security and Logging mechanisms. The full list of supported database engines depends on these third-party frameworks. However, SDI Services were used successfully with listed engines.</li> <li>64-bit Oracle Data Access Components (ODAC) is required for Catalogue (CSW) services running with Oracle Server 12 (64-bit)</li> <li>SQL Server Native Client 10.0 or higher is needed for the Database Utilities to automatically create the correct GeoMedia metadata for date, time and datetime data types when using a SQL Server Native Client 10.0 or higher is needed for the Database Utilities to automatically create the correct GeoMedia metadata for date, time and datetime data types when using a SQL Server Native Client 10.0 or higher is needed for the</li></ul> |



| Internet browsers<br>(Required to run<br>Administration<br>Console) | <ul> <li>Firefox 116 or higher</li> <li>Google Chrome 116 or higher</li> <li>Microsoft Edge 115 or higher</li> <li>Notes:</li> <li>For browsers: Firefox and Chrome versions stated are the versions that certification was conducted on. The software is expected to work on newer versions of these browsers, but</li> </ul>   |
|---|--|
|   | <ul> <li>Web browser issues found on the Geospatial SDI product that are no longer supported by the browser vendor can be addressed with a limited scope by Hexagon. Refer to vendor sites for information on their browser support policies.</li> </ul>   |
| Server-side<br>internet browsers                                    | <ul> <li>Google Chrome</li> <li>Note:</li> <li>Google Chrome is required on the server side only to provide printing functionality unless<br/>Internet Explorer 11 or PhantomJS engine is used.</li> <li>Internet Explorer 11 has retired and is officially out of support.</li> <li>To run the Administration Console directly on the server host machine, any browser listed in<br/>client-side internet browsers can be used. Administration Console can be run remotely from<br/>the client side.</li> </ul> |
| Server-side system<br>dependencies and<br>additional software       | <ul> <li>.NET Framework 4.7.2</li> <li>Windows Identity Foundation</li> <li>Windows Installer 3.1 or higher</li> <li>Internet Information Services (IIS) 10.0</li> <li>Note:</li> <li>All later service packs for the system dependencies are considered supported unless otherwise noted. See the support website for specific notices.</li> </ul>  |



# System requirements (16.8.1)

| GeoMedia WebMap   |  |
|---|--|
| Operating systems<br>Not<br>•                             | Windows Server 2016 (64-bit)<br>Windows Server 2019 (64-bit)<br>Windows Server 2022 (64-bit)<br>otes:<br>All later service packs are considered viable unless otherwise noted. See the Support<br>website for specific notices.<br>On the client side (Geospatial Portal and/or GeoMedia WebMap Publisher Portal), any<br>operating system equipped with one of the supported browsers will work   |
| Operating systems<br>for GeoMedia<br>WebMap Mobile<br>app | iOS version 15.x or later<br>Android version 7.0 or later<br>Windows 10  |
| Server-side<br>database engines                           | Oracle Server 12c R2 (12.2.0.1)<br>Oracle Server 18c (12.2.0.2)<br>Oracle Server 19c (12.2.0.3)<br>Oracle Client 12.2.0 (32-bit)<br>Oracle Client 18.5.0 (32-bit)<br>Oracle Client 19.12.0 (32-bit)<br>Oracle Client 19.18.0 (32-bit)<br>Oracle Client 19.18.0 (32-bit)<br>SQL Server 2014<br>SQL Server 2014<br>SQL Server 2016<br>SQL Server Express 2016<br>SQL Server Express 2016<br>SQL Server Express 2017<br>SQL Server Express 2017<br>SQL Server Express 2017<br>SQL Server Express 2019<br>SQL Server Express 2019<br>SQL Server Express 2022<br>SQL Server Native Client 10.0 or higher<br>Azure SQL Database compatible with SQL Server® 2014, 2016, 2017, 2019 or 2022<br>PostgreSQL 11 with compatible version of PostGIS<br>PostgreSQL 13 with compatible version of PostGIS<br>PostgreSQL 14 with compatible version of PostGIS<br>PostgreSQL 14 with compatible version of PostGIS |



|  | PostgreSQL 15 with compatible version of PostGIS  |
|--|---|
|  |   |
|  | Notes:  |
|  | <ul> <li>All later service packs are considered viable unless otherwise noted. See the Support<br/>website for specific notices.</li> </ul>   |
|  | Access (MDB) is considered viable   |
|  | GeoPackage is considered viable   |
|  | No database engine is required on the client side or to run the Administration Console  |
|  | <ul> <li>SQL Server Native Client 10.0 or higher is needed for the Database Utilities to automatically create the correct GeoMedia metadata for date, time and datetime data types when using a SQL Server or SQL Server Spatial warehouse. You may get SQL Server Native Client 10.0 or higher from the corresponding Microsoft websites. If the SQL Server Native Client is not installed on the system, you need to manually choose Date as the data type from the drop-down combo box for these data types in the Feature Class Properties dialog and set the format properly.</li> </ul> |
|  | Firefox 116 or higher   |
|  | Google Chrome 116 or higher   |
|  | Microsoft Edge 115 or higher  |
|  |   |
|  | Notes:  |
| Client-side internet   | <ul> <li>Versions stated above are the versions certifications were conducted on. The software<br/>should work on newer versions of these browsers, but they were not officially certified.</li> </ul>  |
| browsers   | <ul> <li>The 3D features of Geospatial Portal Classic require native WebGL support. WebGL is<br/>available in Firefox, Chrome and Edge.</li> </ul>  |
| (Client is Geospatial<br>Portal and GeoMedia<br>WebMap Publisher | <ul> <li>Web browser issues found on the GeoMedia WebMap product that are no longer supported<br/>by the browser vendor can be addressed within a limited scope by Hexagon. Refer to vendor<br/>sites for information on their web browser support policies.</li> </ul>   |
| Portal)  | <ul> <li>The mobile versions listed as supported web browsers are compatible with GeoMedia<br/>WebMap. However, differences in system architecture and mobile device limitations may<br/>result in some of the functionality being unavailable when running on a mobile browser.<br/>Hexagon will attempt to address any mobile browser issues; however, a solution may<br/>ultimately depend on support from the browser provider.</li> </ul>  |
|  | The Internet Explorer (IE) 11 desktop application ended support for Windows 10 semiannual channel on June 15, 2022. For more information visit <a href="https://docs.microsoft.com/en-us/lifecycle/products/internet-explorer-11">https://docs.microsoft.com/en-us/lifecycle/products/internet-explorer-11</a> .  |
|  | Google Chrome   |
|  | Notes:  |
| Server-side<br>internet browsers                                 | <ul> <li>Google Chrome is required on the server side only to provide printing functionality unless</li> </ul>  |
|  | Internet Explorer 11 or PhantomJS engine is used  |
|  | Internet Explorer 11 has retired and is officially out of support   |
|  | <ul> <li>To run the Administration Console directly on the server host machine, any browser listed in<br/>client-side internet browsers can be used. Administration Console can be run remotely from<br/>the client side.</li> </ul>  |
| Client-side system   | GeoMedia or GeoMedia Professional 16.8  |
| dependencies and   |   |
| additional software  | Notes:  |
|  |   |



|   | GeoMedia or GeoMedia Professional is required for GeoMedia WebMap Publisher<br>Administrator   |
|---|--|
| Server-side system dependencies and additional software | <ul> <li>.NET Framework 4.7.2</li> <li>Microsoft Identity Foundation</li> <li>Windows Installer 3.1 or higher</li> <li>Internet Information Services (IIS) 10.0</li> </ul> |



| Geospatial Portal                |  |
|----------------------------------|--|
| Server-side<br>operating systems | <ul> <li>Windows Server 2016 (64-bit)</li> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2022 (64-bit)</li> </ul>   |
| Database engines                 | <ul> <li>Oracle Server 12c R2 (12.2.0.1)</li> <li>Oracle Server 18c (12.2.0.2)</li> <li>Oracle Server 19c (12.2.0.3)</li> <li>Oracle Client 12.2.0 (32-bit)</li> <li>Oracle Client 18.5.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.18.0 (32-bit)</li> <li>Oracle Client 19.19.0 (32-bit)</li> </ul>  |
| Client-side internet<br>browsers | <ul> <li>Firefox 116 or higher</li> <li>Google Chrome 116 or higher</li> <li>Microsoft Edge 115 or higher</li> <li>Notes:</li> <li>For browsers: Firefox, Google Chrome and Microsoft Edge versions stated are the versions that certification was conducted on. The software is expected to work on newer versions of these browsers, but they were not officially certified.</li> <li>The 3D features of Geospatial Portal require native WebGL support. WebGL is available in Edge, Firefox and Chrome.</li> <li>Web browser issues found on the Geospatial Portal Classic product that are no longer supported by the browser vendor can be addressed with a limited scope by Hexagon. Refer to vendor sites for information on their web browsers support policies.</li> <li>The mobile versions listed as supported web browsers are compatible with GeoMedia WebMap. However, differences in system architecture and mobile device limitations may result in some of functionality being unavailable when running on a mobile browser. Hexagon will attempt to address any mobile browser issues; however, a solution may ultimately depend on support from the browser provider.</li> <li>The Internet Explorer (IE) 11 desktop application ended support for Windows 10 semiannual channel on June 15, 2022. For more information visit https://docs.microsoft.com/enus/lifecycle/products/internet-explorer-11.</li> </ul> |



| Server-side internet<br>browsers                        | Google Chrome  |
|---|--|
|   | <ul> <li>Notes:</li> <li>Google Chrome is required on the server side only to provide printing functionality unless<br/>Internet Explorer 11 or PhantomJS engine is used</li> <li>Internet Explorer 11 has retired and is officially out of support</li> <li>To run the Administration Console directly on the server host machine, any browser listed in<br/>client-side internet browsers can be used. Administration Console can be run remotely from<br/>the client side.</li> </ul> |
| Server-side system dependencies and additional software | <ul> <li>.NET Framework 4.7.2 or higher</li> <li>Windows Identity Foundation</li> <li>Windows Installer 3.1 or higher</li> <li>Internet Information Services (IIS) 10.0</li> </ul>   |



| Geospatial SDI    |  |
|-------------------|--|
| Operating systems | <ul> <li>Windows Server 2016 (64-bit)</li> <li>Windows Server 2019 (64-bit)</li> <li>Windows Server 2022 (64-bit)</li> </ul>   |
| Database engines  | <ul> <li>Oracle Server 12c R2 (12.2.0.1)</li> <li>Oracle Server 18c (12.2.0.2)</li> <li>Oracle Server 19c (12.2.0.3)</li> <li>Oracle Client 12.2.0 (32-bit)</li> <li>Oracle Client 19.12.0 (32-bit)</li> <li>Oracle Client 19.18.0 (32-bit)</li> <li>Oracle Client 19.18.0 (32-bit)</li> <li>Oracle Client 19.18.0 (32-bit)</li> <li>SQL Server 2014</li> <li>SQL Server 2016</li> <li>SQL Server 2016</li> <li>SQL Server 2017</li> <li>SQL Server 2019</li> <li>SQL Server 2019</li> <li>SQL Server 2019</li> <li>SQL Server 2019</li> <li>SQL Server Express 2022</li> <li>SQL Server Express 2019</li> <li>SQL Server Express 2022</li> <li>SQL Server Express 2019</li> <li>SQL Server 2019 and the compatible wersion of PostGIS</li> <li>PostgreSQL 11 with compatible version of PostGIS</li> <li>PostgreSQL 13 with compatible version of PostGIS</li> <li>Access® 2010 (MDAC2010 v14)</li> <li>GeoPackage</li> <li>Notes:</li> <li>For all later service packs, see the Support website for specific notices</li> <li>NHibernate, Log4Net and ADO.NET are used for accessing databases in SDI Pro Security and Logging mechanisms. The full list of supported database engines depends on these third-party frameworks. However, SDI Services were used successfully with listed engines.</li> <li>64-bit Oracle Data Access Components (DDAC) is required for Catalogue (CSW) services running with Oracle Server 12 (64-bit)</li> <li>SQL Server Native Client 10.0 or higher is needed for the Database Utilities to automatically create the correct GeoMedia metadata for date, time and datetime data types when using a SQL Server Solt Server SQL Server Solt Server SQL Server Solt Server Solt Server Solt Server Solt Solt Server Solt Server Solt Solt Server Solt Server Solt Solt Server Solt Solt Server Solt Solt Server Sol</li></ul> |



| Internet browsers   | <ul> <li>Firefox 116 or higher</li> <li>Google Chrome 116 or higher</li> <li>Microsoft Edge 115 or higher</li> </ul>   |
|---|--|
| (Required to run<br>Administration<br>Console)                | <ul> <li>Notes:</li> <li>For browsers: Firefox and Chrome versions stated are the versions that certification was conducted on. The software is expected to work on newer versions of these browsers, but they were not officially certified.</li> <li>Web browser issues found on the Geospatial SDI product that are no longer supported by the browser vendor can be addressed with a limited scope by Hexagon. Refer to vendor sites for information on their browser support policies.</li> </ul>         |
| Server-side<br>internet browsers                              | <ul> <li>Google Chrome</li> <li>Note:</li> <li>Google Chrome is required on the server side only to provide printing functionality unless<br/>Internet Explorer 11 or PhantomJS engine is used</li> <li>Internet Explorer 11 has retired and is officially out of support</li> <li>To run the Administration Console directly on the server host machine, any browser listed in<br/>client-side internet browsers can be used. Administration Console can be run remotely from<br/>the client side.</li> </ul> |
| Server-side system<br>dependencies and<br>additional software | <ul> <li>.NET Framework 4.7.2</li> <li>Windows Identity Foundation</li> <li>Windows Installer 3.1 or higher</li> <li>Internet Information Services (IIS) 10.0</li> <li>Note:</li> <li>All later service packs for the system dependencies are considered supported unless otherwise noted. See the support website for specific notices.</li> </ul>  |





# **Issues resolved (16.8.0)**

Geospatial Server 2023

GeoMedia WebMap 16.8.0, Geospatial SDI 16.8.0, Geospatial Portal 16.8.0

| Support ticket                               | Summary  |
|--|--|
| 00028639                                     | CreateMapByRange with SVG output format fails to produce proper XML output.                            |
| 00023520<br>00029513                         | Some point features not being rendered when specific symbol style used.                                |
| 00040538                                     | LabelWeb crashes with specific (renaming) rule.  |
| 00116157                                     | WFS 2.0.0 - combination of GetPropertyValue and StoredQuery returns zero results.                      |
| 00113171                                     | Problem with characters encoding in WFS Transaction request for Portal.                                |
| 00086254                                     | X-Powered-By header present in all /api/ calls.  |
| 00084569                                     | One of the base maps in Consumer Portal does not initialize when the Consumer Portal is started.       |
| 00084570                                     | The Consumer Portal generates GetMap requests to each element of the composition legend.               |
| 00095756                                     | WFS-T cannot update date field in PostGIS.   |
| 00065234                                     | WebMap Publisher WMS metadata corrupted after SVG symbol is assigned to point feature.                 |
| 00052217                                     | WMTS SDI Facade - RESTful constraint not declared in Capabilities.                                     |
| 00053053                                     | Issue with \$GP.events.featureInfoRequested.register.  |
| 00023205<br>00027269<br>00027286<br>00116171 | Unable to connect to SQL Server 2016 database - SSL Security Error.                                    |
| 00116471                                     | MSXML vulnerability.   |
| 00114807                                     | SDK - Dynamic styles not being honored for analyses when printing.                                     |
| 00151400                                     | Missing Polish translation for Selected features spatial filter in Portal Analyses control.            |
| 00142540                                     | Portal Category - WFS layer keeps spinning after panning to a map area containing no wfs layer record. |



| 00149392 | Functional attributes are not shown in WMPS Feature Info.                                  |
|----------|--|
| 00114077 | Exception when using MSS file.   |
| 00151618 | Unable to connect to WMS - Sequence contains no matching element.                          |
| 00143156 | Portal will always fall back to Mobile.aspx despite mobileTemplateName attribute settings. |
| 00140725 | Print Service hangs out when multiple users access to Geospatial Portal.                   |
| 00147878 | ECW raster goes blank on map when only WebMap is installed on server.                      |
| 00149980 | WMS layer legend icon goes blank for point styled with FSM.                                |
| 00172747 | Geospatial Portal - error initializing Luciad CSW map service.                             |



# **Issues resolved (16.8.1)**

Geospatial Server 2023 Update1

### GeoMedia WebMap 16.8.1, Geospatial SDI 16.8.1, Geospatial Portal 16.8.1

| Support ticket | Summary   |
|----------------|---|
| 00255673       | Consumer Portal - there appears to be no request for GetFeatureInfo request when WMS from geoserver is connected                                  |
| 00235510       | WMS time service generation error when Oracle metadata in GeoMedia WebMap Publisher   |
| 00210039       | After data sources are removed, saved gpm cannot be Displayed again because previously deleted data sources are not loaded by the Display command |
| 00205182       | WMPS layers with Display Range defined are not displaying under Consumer Portal   |
| 00203211       | WFS query fails when using combination of attribute and spatial filter  |
| 00200596       | SDK Portal initializes WMPS for too long  |
| 00200906       | 'Get values' window doesn't return expected value when using Unicode/accent characters  |
| 00199048       | WMS GetFeatureInfo incorrect result when geometry type filtering query used   |
| 00197880       | Consumer Portal's feature info split words by single character  |
| 00197746       | Consumer Portal doesn't retain legend layer visibility  |
| 00197876       | UI display issues after hiding and revealing the top banner   |
| 00196673       | Binding between AdminConsole GUI and AdminConsole service breaks after certain time of inactivity   |
| 00196646       | WMS service doesn't accept special characters '*' in the layer name   |
| 00196099       | Button Apply in the style properties (WMS layer) is not active in certain use case  |
| 00193714       | AdminConsole doesn't list instances in certain languages  |
| 00193662       | Every second analysis sends invalid (swapped) filter coordinates  |
| 00191932       | Unable to print Google Maps using Chrome engine   |
| 00189068       | Error retrieving OriginatingPipe extension from a LegendEntry loaded from GM library  |
| 00187315       | Deselection (shift + click) on analysis does not de-highlight features on map   |
| 00183604       | Portal 16.7.1 failed to load multiple WMPS with the same URL  |



| 00179979             | Geocode Coordinate Query in Legend causing error when calling the published WMS                              |
|----------------------|--|
| 00174727<br>00184589 | GPW gets corrupted in a specific use case  |
| 00177176             | GWMMapDef.exe giving error 'Error creating ConnectionWizard object' under Windows Server 2019                |
| 00154036             | Catalogue Editor is not populating expected DB records when using custom (INSPIRE-based) profile             |
| 00143784             | Records created in Catalogue Editor are not valid according to INSPIRE reference                             |
| 00142486             | Valid INSPIRE metadata record cannot be validated/published using Catalogue Editor                           |
| 00027240             | WMS legend entries in reverse order when adding through CSW metadata search results                          |
| 00027290             | WFS GetFeature with filter query uses UPPER function on all columns  |
| 00023178             | "Invalid number of coordinates. The amount should be divisible by srsDimension (default 2)" error in portal  |
| 00022918             | Legend images are not created for Entries containing a German Umlaut (ä, ö, ü) in the name                   |
| 00027306             | Using scale band for legend entries causes issues in zooming in or panning around the map in Consumer Portal |



## **About Hexagon**

Hexagon is the global leader in digital reality solutions, combining sensor, software and autonomous technologies. We are putting data to work to boost efficiency, productivity, quality and safety across industrial, manufacturing, infrastructure, public sector and mobility applications.

Our technologies are shaping production and people-related ecosystems to become increasingly connected and autonomous — ensuring a scalable, sustainable future.

Hexagon's Safety, Infrastructure & Geospatial division improves the resilience and sustainability of the world's critical services and infrastructure. Our solutions turn complex data about people, places and assets into meaningful information and capabilities for better, faster decision-making in public safety, utilities, defense, transportation and government.

Hexagon (Nasdaq Stockholm: HEXA B) has approximately 24,500 employees in 50 countries and net sales of approximately 5.4bn EUR. Learn more at hexagon.com and follow us @HexagonAB.

## Copyright

© 2024 Hexagon AB and/or its subsidiaries and affiliates. All rights reserved. All other trademarks or service marks used herein are property of their respective owners.

Warning: The product made the subject of this documentation, including the computer program, icons, graphical symbols, file formats, audio-visual displays and documentation (including this documentation) (collectively, the "Subject Product") may be used only as permitted under the applicable software license agreement, and subject to all limitations and terms applicable to use of the Subject Product therein. The Subject Product contains confidential and proprietary information of Intergraph Corporation, a member of the Hexagon Group of companies ("Hexagon"), its affiliates, and/or third parties. As such, the Subject Product is protected by patent, trademark, copyright and/or trade secret law and may not be transferred, assigned, provided, or otherwise made available to any third party in violation of applicable terms and conditions cited further below.

### Terms of Use

By installing, copying, downloading, accessing, viewing, or otherwise using the Subject Product, you agree to be bound by the terms of the EULA found here: <a href="https://legaldocs.hexagon.com/sig/Licenses/EULA\_SA\_SIG-Eng\_062021.pdf">https://legaldocs.hexagon.com/sig/Licenses/EULA\_SA\_SIG-Eng\_062021.pdf</a>

### Disclaimers

Hexagon and its suppliers believe the information in this publication is accurate as of its publication date. Hexagon is not responsible for any error that may appear in this document. The information and the software discussed in this document are subject to change without notice.

Language Translation Disclaimer: The official version of the Documentation is in English. Any translation of this document into a language other than English is not an official version and has been provided for convenience only. Some portions of a translation may have been created using machine translation. Any translation is provided "as is." Any discrepancies or differences occurring in a translation versus the official English version are not binding and have no legal effect for compliance or enforcement purposes. Hexagon disclaims any and all warranties, whether express or implied, as to the accuracy of any translation.

Reasonable efforts have been made to provide an accurate translation; however, no translation, whether automated or provided by human translators is perfect. If any questions arise related to the accuracy of the



information contained in a translated version of Documentation, please refer to its official English version. Additionally, some text, graphics, PDF documents, and/or other accompanying material may not have been translated.

### Links To Third Party Websites

This Document may provide links to third party websites for your convenience and information. Third party websites will be governed by their own terms and conditions. Hexagon does not endorse companies or products to which it links.

Third party websites are owned and operated by independent parties over which Hexagon has no control. Hexagon shall not have any liability resulting from your use of the third party website. Any link you make to or from the third party website will be at your own risk and any information you share with the third party website will be subject to the terms of the third party website, including those relating to confidentiality, data privacy, and security.

Hexagon provides access to Hexagon international data and, therefore, may contain references or cross references to Hexagon products, programs and services that are not announced in your country. These references do not imply that Hexagon intends to announce such products, programs or services in your country.

#### Revisions

Hexagon reserves the right to revise these Terms at any time. You are responsible for regularly reviewing these Terms. Your continued use of this Document after the effective date of such changes constitutes your acceptance of and agreement to such changes.

#### Questions

Contact us with any questions regarding these Terms.