



HEXAGON

Product description

GeoMedia

Product description

1 December 2025

Contents

Product summary	4
Feature comparison chart	5
GeoMedia Essentials	6
Key features	6
Utilities	6
Data access (read-only)	6
Data access (read-write)	7
Data management	7
Presentation and rendering	8
Labeling: Rules-based label placement	9
Vector analysis	10
Spatial modeling	11
Basic feature placement and editing	12
Linear Reference Model	13
Geocoding	13
3D visualization	14
Consumer basemaps	14
GPS tracking	14
Layout, printing and plotting	14
Export to most common file formats	14
Image preparation	14
GeoMedia Advantage.....	15
Key features	15
Utilities	15
Layout, printing and plotting	15
Export to file formats	15
Advanced feature placement and editing	15
Data integration and validation	17
Raster grid analysis	19
Spatial modeling	22
GeoMedia Professional	23



Key features	23
Utilities	23
Advanced feature placement and editing	23
Transaction management	24
Data integration and validation	24
Cadastral	24
Network management: Advanced feature models	25
Image preparation	25
Export to enterprise database management systems	26
About Hexagon	27



Product summary

GeoMedia is a powerful, flexible GIS management platform that lets you aggregate data from a variety of sources and analyze them in unison to extract clear, actionable information. It provides simultaneous access to geospatial data in almost any form and displays it in a single unified map view for efficient processing, analysis, presentation and sharing. GeoMedia's functionality makes it ideal for extracting information from an array of dynamically changing data to support informed, smarter decision-making.

GeoMedia's intuitive, dynamic analysis functionality enables concatenation of analysis processes so the results of one operation feed directly into the next, as well as automatic updating of results in response to data changes. It delivers high-productivity tools that speed up the implementation of geospatial databases by improving the efficiency of common workflows. GeoMedia provides flexibility, interoperability, open architecture and adherence to industry standards such as OGC and ISO.

GeoMedia's stable, robust technology is in active use in organizations throughout the world. Whether your organization has a single user or hundreds distributed across the enterprise, GeoMedia's flexible architecture maintains a high degree of performance and reliably meets your demands.

GeoMedia is available in three product tiers, providing an ideal solution for a broad range of organizations and projects so everyone can achieve superior results.

Click on a link below for quick navigation:

[Feature comparison chart](#)

[GeoMedia Essentials](#)

[GeoMedia Advantage](#)

[GeoMedia Professional](#)

Feature comparison chart

Capability	GeoMedia Essentials	GeoMedia Advantage	GeoMedia Professional
Data access (read-only)	X	X	X
Data access (read-write)	X	X	X
Data management	X	X	X
Image preparation	X	X	X
Presentation and rendering	X	X	X
Vector analysis	X	X	X
Spatial modeling	X	X	X
Basic feature placement and editing	X	X	X
Labeling	X	X	X
Linear reference model	X	X	X
Layout, printing and plotting	X	X	X
Export to most common file formats	X	X	X
Geocoding	X	X	X
3D visualization	X	X	X
Consumer basemaps	X	X	X
Raster/grid analysis		X	X
Terrain artifacts		X	X
Advanced feature placement and editing		X	X
Validation and cleanup		X	X
Export to enterprise database management systems		X	X
Transaction management			X
Linear network			X
Parcel management			X

GeoMedia Essentials

GeoMedia Essentials is the base product. It provides powerful, ad hoc and complex analysis capabilities along with image preparation and enhancements. GeoMedia Essentials provides data access, through GeoMedia's data server technology, to a wide range of data sources and formats.

Key features

- Easy to learn and use
- Intuitive ribbon user interface
- Common interface used throughout the GeoMedia suite
- Extended tooltips
- Extensive help, e-training and tutorials available online
- Suite of utilities that do not require GeoMedia to be running

Utilities

GeoMedia installs a separate set of utilities that let you perform tasks outside of the main GeoMedia environment:

- Database Utilities
- Define CAD Server Schema File
- Define Coordinate System File
- Define Symbol File
- Define Text File Server Format File
- Define Warehouse Configuration File
- GeoMedia Desktop Configuration Wizard
- G/Technology Interoperability Utility
- Publish Address Geocoding Index
- Publish to GeoMedia SmartStore Warehouse

Data access (read-only)

- Microsoft Access
- ArcView Shape files
- File Geodatabase (FGDB)
- MapInfo
- MicroStation .dgn files
- AutoCAD files
- Intergraph I/CAD .map files
- G/Technology
- GeoMedia SmartStore files

- GML
- KML
- ODBC Tabular
- OGC WCS
- OGC WMS
- OGC WFS
- OGC WFS-T
- Oracle Object Model (including spatial types)
- Microsoft SQL Server (including spatial types)
- Microsoft Azure SQL Database (including spatial types)
- PostgreSQL with PostGIS (including spatial types)
- Text file
- .xlsx (Excel)
- Vector Product Format (VPF)

Data access (read-write)

- Microsoft Access
- File Geodatabase (FGDB)
- OGC WFS-T
- Oracle Object Model (including spatial types)
- Microsoft SQL Server (including spatial types)
- Microsoft Azure SQL Database (including spatial types)
- PostgreSQL with PostGIS (including spatial types)
- OGC GeoPackage (including spatial types)

Data management

- Feature class definition
 - Geometry types
 - Attribute types
 - Hypertext
- Feature categories and groups
- Coordinate system definition
- Enterprise libraries
 - Microsoft Access
 - Microsoft SQL Server
 - Oracle

- PostGIS
- Shared GIS information
 - Connections to data sources (Warehouse and Catalog)
 - Legends
 - Styles
 - Queries
 - Categories
 - Searches
 - Spatial filters
 - Queues
- Explorer window
- Drag and drop

Presentation and rendering

- Point styles
 - Symbol styles – AutoCAD drawing files, GeoMedia symbol files, MicroStation cell files and SVG Files
 - Font styles
 - Picture styles
 - Bar charts
 - Pie charts
- Linear styles
 - Simple styles
 - Pattern styles
 - Combination of dashed and pattern styles
- Areal styles
 - Boundary style – simple, pattern
 - Fill style – simple, gradient, hatch and pattern
 - Point style – symbol, font, picture, bar chart and pie chart
- Text styles
- Image styles
- Compound styles (mix of point, line and area geometry)
- Properties
 - Size
 - Width
 - Rotation

- Color
- Alignment
- Offset
- Patterning
- Transparency
- Tinting
- End caps
- Midline joins
- Text halos
- Attribute-based
- Animation
- Thematic maps
 - Range
 - Unique value
 - Pie charts/Bar charts
- Named Styles

Labeling: Rules-based label placement

Label Manager is used to define the label properties and rules for label placement

- Create shared rules/styles
- Set label priorities
- Set label obstacles
- Define label properties
 - Text (attribute or text string)
 - Fonts
 - Size
 - Color
 - Symbols – GeoMedia FSM symbols, symbol fonts
 - Expression Builder defines how labels are built from text attributes
- Define label placement rules
 - Label position
 - Label sacking
 - Font reductions
 - Line crossing

- Overlap labels
- Offsets
- Leader lines
- Centerlines
- Divided highways
- Repeat labels
- Overhang
- Extend boundary
- Place at dominant angle
- Dynamic labeling
 - Toggle on/off
 - Auto refresh when Map Window extent changes (zoom, pan, etc.)
- Static labels
 - Display
 - Refresh
 - Suppress/Restore
 - Change properties
 - Highlight feature
 - Compose/Decompose
 - Stack
 - Reposition
 - Duplicate
 - Leader

Vector analysis

- Attribute query
- Native query (for vendor-specific database management systems)
- Join and union (of database tables)
- Buffer zone
- Aggregation
- Analytical merge
- Analyze geometry
- Functional attributes (including custom functions)
- Spatial query
 - Touch
 - Within distance of



HEXAGON

- Contained
- Are Contained By
- Entirely Contained
- Entirely Contained By
- Overlap
- Meet
- Are Spatially Equal
- Spatial intersection
 - Touch
 - Contained
 - Are Contained By
 - Entirely Contained
 - Entirely Contained By
 - Overlap
 - Meet
 - Are Spatially Equal
- Spatial difference
- Search and searches
- Find address
- Address geocoding
- Coordinate geocoding

Spatial modeling

- Run Spatial Model command
- Run Spatial Model – Explorer window
- Rerun Spatial Model – Explorer window
- Spatial Model properties – Explorer window
- Spatial Model refresh all – Explorer window
- Add to Map Window – Explorer window
- Display in Data Window – Explorer window
- Spatial operators
 - Features Input
 - Features Output
 - Features Database Output
 - Filter by Geometries
 - Filter by Attributes



HEXAGON

- Coordinate Transformation
- Define Functional Attribute
- Generate Functional Attributes
- Mask Features
- Intersect Features
- Merge Features
- Create Centerpoint
- Create Centroid
- Create Buffer Zone
- Create Buffer Ring
- Join Features
- Union Features
- Summarize Related Features
- Smooth Geometry
- Densify Geometry
- Generate Topology Features
- Classify Features
- Attribute Statistics

Basic feature placement and editing

- Feature placement
 - Undo
 - Place point features
 - Place line features
 - Place area features
- Placement editing
 - Smart snapping
 - Raster snapping
- Feature and Geometry editing
 - Delete feature
 - Delete geometry
 - Edit geometry
 - Continue geometry
 - Move
 - Spin



Linear Reference Model

Track and analyze data that is associated with locations along a linear network.

LRS precision location

- LRS Model Selection
 - Measure, Measure with Internal/External Markers
 - Duration, Duration with Internal/External Markers
- Key field selection – primary, secondary, tertiary and quaternary
- 2D or 3D geometric length consideration
- Reverse geometry option
- Insert feature using precision location

Dynamic segmentation

- Select an event table from any connection
- Use queries of an event table
- Use 2D or 3D geometric length
- Segment linear and point event data
- Support multiple event reference methods
 - Measure
 - Projected XY coordinates
 - Longitude/Latitude
 - Marker offset
 - Duration
- Supports single or multi-level LRS features
- Supports datum-based events
- Resolves multiple events at same location
- Supports rotated point events

Geocoding

GeoMedia Address Geocoding lets you generate Address Geocoding Index (AGI) files, geocode addresses, take an address in text form and locate that address as point geometry and geocode an entire feature class or query rendering the addresses.

- Find address
- Geocode addresses
- Publish Address Geocoding Index
- Define parsing rules
- Define geocoding model

3D visualization

GeoMedia integrates 3D formats with other formats available through its data access functionality, such as 2D vector data, raster and image data. It does this seamlessly in the Map Window. Commands are available to toggle between 2D and 3D display of data and access the 3D format listed here:

- Hexagon Smart Point Cloud (HSPC)
- OGC 3D Tiles

Consumer basemaps

Access and display consumer basemaps in context with other 2D vector formats and with raster and image data.

- Open Street Maps (OSM)

GPS tracking

Access GPS data in real time to track positions on a GeoMedia map view and efficiently populate or update features in a GeoMedia warehouse.

Layout, printing and plotting

- Map composition environment – Map, Legend, Scale Bar, North Arrow, etc.
- Cartographic grid placement – geographic, projection
- Reference grid and reference index placement
- Map Window printing

Export to most common file formats

- AutoCAD DWG
- AutoCAD DXF
- Esri shapefile
- Esri file geodatabase
- MapInfo MIF
- MicroStation DGN
- GML

Image preparation

The GeoMedia package provides limited image manipulation:

- Insert an interactive image such as a logo or backdrop
- Insert georeferenced images
- Adjust image display
 - Contrast, brightness
 - Invert colors (greyscale, color or binary)
 - Define foreground and background colors
 - Turn on or off background transparency



- Select image banks for multi-band images
- Create image footprints
- Insert and review geotagged photos

GeoMedia Advantage

GeoMedia Advantage builds upon GeoMedia Essentials. It adds efficient data capture and editing tools for the creation and management of geospatial databases and expands the analytical capabilities by including raster data analysis to complement the vector feature analysis of GeoMedia Essentials. Users can perform line-of-sight and hot spot analysis along with site location and corridor planning. GeoMedia Advantage also provides the ability to generate terrain artifacts such as contours, shaded relief and color-coded elevations for the creation of mapping products. Geometry validation tools are also included.

Key features

Utilities

Batch Plotting

Layout, printing and plotting

Map Book generation

Export to file formats

- Oracle Object
- SQL Server

Advanced feature placement and editing

Feature placement

- Multilevel undo/redo
- Place point features
 - Orient to geometry
 - Place at angle
 - Rotate dynamically
- Place linear features
 - Point by point
 - Two-point line
 - Consecutive two-point line
- Place area features
 - Place by point
 - Place by circle



HEXAGON

- Place rectangle
- Place rotated rectangle
- Insert area by face
- Insert interactive area by face
- Arc placement
 - Start, end, point on edge
 - Start, point on edge, end
 - Arc by center
 - Precision key-in of parameters
- Construction aids
 - X, Y
 - Delta X, Delta Y
 - Delta X, Delta Y from point
 - Distance and direction
 - Distance and direction from point
 - Distance along feature
 - Distance/distance intersection
 - Bearing/bearing intersection
 - Constrain by length
 - Constrain tangent
 - Azimuth
 - Bearing
 - Parallel to
 - Perpendicular to
 - Place at offset
 - Deflection angle
 - Place orthogonal to

Placement editing

- Maintain relationships in feature placement and editing (coincidence, existing geometry)
- Stream mode digitizing
- Table digitizing
- Vector breaking on placement/editing
- Precision coordinate key-ins
- Construction aids



- Define SmartSnap tolerances
- Integrated raster/vector snap

Feature editing

- Delete feature
- Merge feature
- Split feature
- Copy feature

Geometry editing

- Delete geometry
- Edit geometry
- Continue geometry
- Move geometry
- Re-digitize geometry
- Spin geometry

Attribute editing

- Update attributes

Data integration and validation

- Problem detection
- Problem auto correction
- Dynamic queued edit
- Geometry Information
- Advanced geometry validation
 - Supports multiple input features for the validation
 - Output anomalies are written to a Query
 - Anomaly types evaluated in the detection
 - Unknown geometry
 - Invalid geometry
 - Uncontained holes
 - Overlapping holes
 - Invalid coordinates
 - Area loop
 - Invalid geometry component
 - Area not closed in Z plane
 - Z out of range



HEXAGON

- Not monotonic
- Not flat
- Z breaks
- Z spike
- Anomaly types evaluated in the detection providing an auto-correct option
 - Empty geometry
 - Too few vertices
 - Unclosed areas
 - Zero length lines
 - Zero coverage areas
 - Kickbacks/Duplicate points
 - Kink
 - Loop in line
 - Short vector
 - Null geometry
 - Superfluous geometry component
 - Fragmented geometry
 - Duplicate feature
- Basic connectivity validation
 - Supports two input features for the validation
 - Output anomalies are written to a Query
 - Query connectivity
 - Undershoots
 - Overshoots
 - Node mismatches
 - Unbroken intersecting geometry
 - Non-coincident intersecting geometry
 - Nearly coincident geometry
 - Fix connectivity
 - Trim overshoots
 - Extend overshoots
 - Break crossing lines
 - Insert vertex in crossing lines
- Advanced connectivity validation

- Supports multiple input features for the validation
- Output anomalies are written to a Connection/Queue
- Anomaly types evaluated in the detection
 - Shared edge
 - Shared face
 - Sliver
 - Gap
 - Dead end
 - Short vector
- Anomaly types evaluated in the detection providing an auto-correct option
 - Overshoot
 - Undershoot
 - Unbroken intersecting geometry
 - Non-coincident intersecting geometry
 - Node mismatches

Raster grid analysis

GeoMedia Advantage has numerous functions that allow for detailed raster analysis and display.

- Map algebra
 - Mixed mode arithmetic
 - Operations
 - Monadic
 - Dyadic (Math)
 - Dyadic (Relational)
 - Dyadic (Logical)
 - Trigonometric functions
 - Logarithmic functions
 - Mode functions
 - List functions
- Classification
 - Clump
 - Explicit cross tabulation
 - Group
 - Hotspot detection
 - Implicit cross tabulation



HEXAGON

- Recode
- Supervised
- Thiessen
- Interpolation
 - Density
 - Inverse Distance Weighing (IDW)
 - Triangulation
 - Ordinary kriging
 - Ordinary kriging suite
 - Spline
- Layers
 - Export
 - Edit
 - Mosaic
 - Subscene
 - Reproject
 - Import
 - Rasterize
 - Vectorize
 - Cell magnifier
 - Drill-down
 - Histogram
 - Profile
- Visualization
 - Blending
 - Color composite
 - Overlay
 - Shaded relief
- Zone
 - Area
 - Buffer
 - Characterize Boundary
 - Detect edges
 - Fill gaps



HEXAGON

- Perimeter
- Path
 - Characterize linkage
 - Distance cost
 - Length
 - Segmentation
- Statistical analysis
 - Local scan
 - Random
 - Zonal score
- Surface
 - Aspect
 - Curvature
 - Downhill accumulation
 - Downhill path
 - Fill depressions
 - Fill pits
 - Flow concentration
 - Grade
 - Inflection angle
 - Insolation
 - Isoline generation
 - Reverse path
 - Smooth
 - Sub-basin delineation
 - Update geometry Z values
 - Viewshed
 - Volume
- Elevation workbench
 - LiDAR source data properties
 - Inverse distance weighting
 - Spline
 - Smooth
 - Shaded relief



HEXAGON

- Utilities
 - Create Elevation Footprints
 - Design Legend
 - Label Isolines
 - LAS Files to Feature Class

Spatial modeling

- Spatial operators
 - Fill Depressions
 - Calculate Flow
 - Calculate Flow Concentration
 - Accumulate Flow
 - Interpolate Using IDW
 - Find Watersheds
 - Interpolate Using Kriging
 - Define Continuity Model Parameters
- Density Interpolation
- Interpolate by TIN
- Create Thiessen Polygons

GeoMedia Professional

GeoMedia Professional builds on GeoMedia Advantage. It adds additional feature capture and editing tools that are coupled with an extensive set of quality assurance capabilities for the effective creation and management of enterprise databases. GeoMedia Professional provides medium to large organizations with the ability to control data access across all users using optimistic transactions, while maintaining the integrity of the enterprise data given the organization's business rules. Version- and time-based analysis are possible with GeoMedia Professional. Finally, users can easily create and manage linear networks and validate the linear network connectivity as necessary.

Key features

Utilities

- Spatial Model Editor
- Schema Remodeler
- Transaction Administrator

Advanced feature placement and editing

- Feature placement
 - Insert traverse
- Feature editing
 - Change feature class
 - Copy parallel
- Geometry editing
 - Partial delete
 - Insert intersection
 - Reverse direction
 - Construct circular fillet
 - Rotate geometry
 - Extend
 - Extend to intersection
 - Extend two lines to intersection
 - Trim
 - Trim to intersection
 - Simplify geometry
 - Smooth geometry
- Attribute editing
 - Update attributes using text
 - Copy attributes

- Copy attribute definition

Transaction management

- Revision sets
 - Optimistic locking
 - Pessimistic locking
- Commit all features (revision sets)
- Commit individual features
- Discard all features
- Discard individual features
- Lock records
- Edit valid time range
- Conflict resolution
 - Attributes
 - Geometry
- Query locked features
- Query modified features
- Temporal query
- Apply temporal filter

Data integration and validation

- Automated geometry and connectivity validation
- Attribute validation
 - Manage attribute validation rules
 - Validate attributes
- Detect void areas
- Edge matching
 - Automated
 - Interactive
- Conflation

Cadastral

- Coordinate Geometry (COGO)
- Validate parcels
- Fix parcels
- Parcel numbering
- Parcel labeling
- Parcel split



- Parcel join
- Parcel fabric adjustment
 - Create control point links
 - Adjust geometry
 - Control point link Collections
 - Query control point links
 - Query link residuals
 - Delete adjustments
- Parcel relationships and rules
- Parcel management tools
 - Select by polygonal fence
 - Locate features by attribute search
 - Locate features by query
 - Review attributes
 - Square geometry
 - Label segments
 - Label coordinates
 - Sequential attribution
 - Topo select
 - Synchronize geometry
 - Related feature rules
 - Related feature properties

Network management: Advanced feature models

GeoMedia Professional allows for the management and analysis of linear networks found in many public works department workflows (water, gas, electricity, etc.).

- Feature validation of new and existing data
- Network tracing and analysis
- Dimensioning and labeling functions
- Define AFM associations and rules
- Populate connectivity tables for existing features
- Rules-based digitizing/editing of new data

Image preparation

- Image registration
- Output to GeoTIFF



Export to enterprise database management systems

GeoMedia Professional provides commands for exporting data to other GIS or CAD systems. You can export the following:

- ASCII format for Oracle Object Model database
- ASCII format for SQL Server database
- GeoTIFF



About Hexagon

Hexagon is the global leader in measurement technologies. We provide the confidence that vital industries rely on to build, navigate, and innovate. From microns to Mars, our solutions ensure productivity, quality, safety, and sustainability in everything from manufacturing and construction to mining and autonomous systems.

Hexagon's Safety, Infrastructure & Geospatial division improves the resilience and sustainability of the world's critical services and infrastructure. Our solutions turn complex data about people, places and assets into meaningful information and capabilities for better, faster decision-making in public safety, defense, transportation, government and physical security.

Hexagon (Nasdaq Stockholm: HEXA B) has approximately 24,800 employees in 50 countries and net sales of approximately 5.4bn EUR. Learn more at hexagon.com and follow us [@HexagonAB](https://twitter.com/HexagonAB).

Copyright

© 2025 Hexagon AB and/or its subsidiaries and affiliates. All rights reserved. All other trademarks or service marks used herein are property of their respective owners.

Warning: The product made the subject of this documentation, including the computer program, icons, graphical symbols, file formats, audio-visual displays and documentation (including this documentation) (collectively, the "Subject Product") may be used only as permitted under the applicable software license agreement, and subject to all limitations and terms applicable to use of the Subject Product therein. The Subject Product contains confidential and proprietary information of Intergraph Corporation, a member of the Hexagon Group of companies ("Hexagon"), its affiliates, and/or third parties. As such, the Subject Product is protected by patent, trademark, copyright and/or trade secret law and may not be transferred, assigned, provided, or otherwise made available to any third party in violation of applicable terms and conditions cited further below.

Terms of Use

By installing, copying, downloading, accessing, viewing, or otherwise using the Subject Product, you agree to be bound by the terms of the EULA found here: https://legaldocs.hexagon.com/sig/Licenses/EULA_SA_SIG-Eng_062023.pdf.

Disclaimers

Hexagon and its suppliers believe the information in this publication is accurate as of its publication date. Hexagon is not responsible for any error that may appear in this document. The information and the software discussed in this document are subject to change without notice.

Language Translation Disclaimer: The official version of the Documentation is in English. Any translation of this document into a language other than English is not an official version and has been provided for convenience only. Some portions of a translation may have been created using machine translation. Any translation is provided "as is." Any discrepancies or differences occurring in a translation versus the official English version are not binding and have no legal effect for compliance or enforcement purposes. Hexagon disclaims any and all warranties, whether express or implied, as to the accuracy of any translation.



Reasonable efforts have been made to provide an accurate translation; however, no translation, whether automated or provided by human translators is perfect. If any questions arise related to the accuracy of the information contained in a translated version of Documentation, please refer to its official English version. Additionally, some text, graphics, PDF documents, and/or other accompanying material may not have been translated.

Links To Third Party Websites

This Document may provide links to third party websites for your convenience and information. Third party websites will be governed by their own terms and conditions. Hexagon does not endorse companies or products to which it links.

Third party websites are owned and operated by independent parties over which Hexagon has no control. Hexagon shall not have any liability resulting from your use of the third party website. Any link you make to or from the third party website will be at your own risk and any information you share with the third party website will be subject to the terms of the third party website, including those relating to confidentiality, data privacy, and security.

Hexagon provides access to Hexagon international data and, therefore, may contain references or cross references to Hexagon products, programs and services that are not announced in your country. These references do not imply that Hexagon intends to announce such products, programs or services in your country.

Revisions

Hexagon reserves the right to revise these Terms at any time. You are responsible for regularly reviewing these Terms. Your continued use of this Document after the effective date of such changes constitutes your acceptance of and agreement to such changes.

Questions

[Contact us](#) with any questions regarding these Terms.