



**HEXAGON**

Beta release guide  
2022.0

---

# Beta release guide

LuciadCPillar 2022.0


1 June 2022

# Contents

<b>About this release</b> .....	3
<b>Benefits of the new features</b> .....	4
Support for true 3D data.....	4
Stream point clouds to explore the world at sub-cm accuracy .....	4
Stream 3D meshes to explore the world digitally .....	5
Sample code to get you started .....	6
Touch support.....	7
Sample code to get you started .....	7
Support for high-resolution displays .....	7
Sample code to get you started .....	7
Other improvements .....	7

# About this release

The 2022.0 release of LuciadCPillar focuses on fast and robust integration of highly accurate 3D reality meshes and point clouds. The new features allow users to stream point clouds to explore the world at sub-cm accuracy and 3D meshes to discover the world digitally.



*\*LuciadCPillar's support for Java for Android is currently in an alpha version. If you're interested in this feature, please contact [product.management.luciad.gsp@hexagon.com](mailto:product.management.luciad.gsp@hexagon.com)*

Figure 1: The Luciad Product Portfolio

# Benefits of the new features

## Support for true 3D data

LuciadCPillar exploits graphics hardware to achieve high visual and analytical performance. This capability is now being put to good use for the integration of the immense amount of data offered as point clouds and 3D reality meshes.




Figure 2: Stream point clouds (left) and 3D meshes (right) to LuciadCPillar

## Stream point clouds to explore the world at sub-cm accuracy

By their nature, point clouds are very detailed representations of reality. Nowadays, point cloud data sets are often the product of Light Detection and Ranging (LiDAR) technologies, although they may also be constructed from an imagery set. LiDAR remote sensing technology is getting increasingly popular, driven both by technological advancement and applicability in a variety of domains. Today, mobile capturing systems offer lightweight but powerful high-resolution laser sensors. They allow rapid scanning of the environment in a cost-effective way. Those environment scans lead to massive point cloud data collections with billions and even trillions of points.

An important example among numerous use cases is the development of smart cities, in which LiDAR can help generate an accurate topography to support urban planning, infrastructure management, environmental protection, public safety, public services, and more.

LuciadCPillar is now capable of loading point clouds. These can be served as OGC 3D tiles or HSPC. LuciadFusion, the server product of the Luciad Portfolio, allows users to discover point cloud data and stream it as 3D tiles to LuciadCPillar.

### GPU-based visualization for smooth handling of point cloud data streams

OGC 3D Tiles services automatically expose the available data attributes and their range, as well as the data quality. This ensures an optimal end user experience, with tiles smoothly loaded and refined as users pan and zoom on the map.

The point cloud data can be styled by its color, intensity, and height attributes, or any other exposed numerical attribute. The styling of the points as well as the quality of the data can be modified at runtime. You can set the size of the points manually, or you can let it adapt automatically to the density of the dataset.

You can combine point cloud data with any other data source in LuciadCPillar.



Figure 3: The point cloud data can be styled and combined with any other data source in LuciadCPillar

## Stream 3D meshes to explore the world digitally

3D models are widely used in a variety of industries, not the least in the geospatial world. They are either captured through photographic surveying or created in design modeling tools. The highly detailed 3D reality meshes generated to represent a precise real-world environment, such as a building, a bridge, or even an entire city, are becoming increasingly popular sources of 3D models. They are typically massive in size.



Figure 4: Represent a precise real-world environment with highly detailed 3D reality meshes in LuciadCPillar

## Add a new dimension to your map view with true 3D data

LuciadCPillar now allows you to load and integrate 3D reality meshes with other data on your map. The loading and visualization of 3D reality meshes is a ripple-free process, even when multiple files are loaded. Tiles will smoothly fade in and out as users pan and zoom on the map. You can view the meshes in full 3D and seamlessly integrate them with other data sets such as aerial imagery and terrain data to visualize the entire environment.

### Smart loading of 3D mesh data

Streamed reality meshes are supported as a feed of OGC 3D Tiles, a multi-levelled 3D tiled format for 3D mesh data. LuciadFusion, the server product from the Luciad Portfolio, can serve reality meshes as OGC 3D Tiles. The service automatically exposes the data structure and quality metadata. By doing so, it ensures an optimal end user experience, with tiles smoothly loaded and refined as users pan and zoom on the map.


Your data does not have to reside on a server. LuciadCPillar can also directly connect to OGC 3D Tiles datasets that reside on your SSD drive.

## Sample code to get you started

Included in the release is a new sample called “OGC 3D Tiles” that illustrates how to use the API to load the data and style and analyze the data in an interactive way. Both a C++ and a C# version of the sample are available.

In addition to the sample, the release comes with a comprehensive set of how-to guides with more details on how to leverage our API for your data visualization needs. The documentation covers:

- Visualizing tiled mesh data
- Visualizing point cloud data
- Loading and visualizing the HSPC data format



GETTING STARTED | DOCUMENTATION | SAMPLES | API REFERENCE | RELEASE NOTES | PREREQUISITES | CONTACT

LuciadCPillar / Data Formats / OGC 3D Tiles

### Data Formats: OGC 3D Tiles

The OGC 3D Tiles protocol is designed for streaming and rendering massive 3D geospatial content such as Photogrammetry, 3D Buildings, BIM/CAD, Instanced Features, and Point Clouds from a server to a client. It defines a hierarchical data structure and a set of tile formats which deliver renderable content.

In LuciadCPillar, we support 3D tiles that contain a payload with:

- Point cloud data (the PNTS format)
- Reality meshes (the B3DM or Batched 3D Model format)

The OGC 3D Tiles format describes the structure of a 3D tile hierarchy. It consists of:

- A metadata format that describes the 3D scene. It is encoded as JSON, and is typically named `tilesets.json`. It can link to other `tilesets.json` files or data files.
- The data files containing the tiles. Each tile contains a **payload**. In LuciadCPillar, the payload consists of either a point cloud in PNTS or a textured 3D mesh in a Batched 3D Model (B3DM). For the encoding of the mesh data itself, the OGC 3D Tiles specification uses glTF. For more information about glTF, see <https://www.khronos.org/glTF/>.

Each tile in a tileset can also contain **metadata** such as:

- A bounding volume
- The geometric error, which represents the visual error incurred by displaying a parent tile instead of its (more detailed) children.
- A list of child tiles.

Basics

**Visualize OGC 3D Tiles data** NEW IN 2022.0

This tutorial illustrates how you can connect to an OGC 3D Tileset containing meshes (B3DM) or point clouds (PNTS)

How-to guides

- [NEW IN 2022.0: How to provide authentication credentials](#)
- [NEW IN 2022.0: How to configure a proxy server](#)
- [NEW IN 2022.0: Styling and filtering point cloud data](#)
- [NEW IN 2022.0: Styling mesh data](#)
- [NEW IN 2022.0: Showing transparent colors on meshes or point clouds](#)
- [NEW IN 2022.0: Tuning performance and visual quality of point clouds](#)
- [NEW IN 2022.0: Tuning performance and visual quality of tiled mesh data](#)

Figure 5: A new sample called 'OGC 3D Tiles' is included in the LuciadCPillar release

## Touch support

Navigation around maps is easy and intuitive using a computer mouse as controller. Nevertheless, users occasionally work on tablets or embedded devices that need to be operated via touch interaction. Therefore, LuciadCPillar now supports touch-based controllers for map navigation, selection, and on-screen creation and editing of objects.

### Sample code to get you started

All samples included in the release are now automatically equipped with touch support. The code that wires the touch events from your C++ UI toolkit to the LuciadCPillar API can be found in the Qt Widgets Integration and Qt Quick Integration projects in the C++ samples solution.

Additionally, the Create and Edit sample illustrates how you can use touch input to create and edit vector features on the map.

The articles “Interacting with the Map using a controller,” “Creating Features on the map,” “Editing features on a map,” and “How to integrate the LuciadCPillar map in the Qt framework” also offer information on touch support.

## Support for high-resolution displays

LuciadCPillar now fully supports high-pixel density displays, commonly referred to as HiDPI or Retina displays. These displays are supported out-of-the-box, meaning that map features such as icons, line widths, and font sizes are automatically scaled up in response to the DPI scale settings of the host operating system. These settings include a DPI scale factor that can be adjusted in the operating system to change the size of text, applications, and other items.

### Sample code to get you started

Also for this capability, the Qt Widgets and Qt Quick integration projects in the samples illustrate how you can hook into the Qt UI toolkit to discover DPI and display scale settings and adapt your application.

More information can be found in the “Support high-resolution (HiDPI) displays” reference guide and the “How to integrate the LuciadCPillar map in the Qt framework” article.

## Other improvements

- The LuciadCPillar support for OGC GeoPackage has been extended to include TIFF encoded elevation data.
- There are some general upgrade considerations. Starting with this release, the minimal supported OpenGL version is 4.2. LuciadCPillar has also been upgraded from .net 4.6 to 4.7.2. These details have been adjusted in the article “Hardware and software requirements.”
- The generated Visual Studio Solution structure for the sample code now supports multiple targets in the same solution. You can now run a Debug or Release version of the samples without running cmake again.



# About Hexagon

Hexagon is a global leader in digital reality solutions, combining sensor, software and autonomous technologies. We are putting data to work to boost efficiency, productivity, quality and safety across industrial, manufacturing, infrastructure, public sector, and mobility applications.

Our technologies are shaping production and people-related ecosystems to become increasingly connected and autonomous — ensuring a scalable, sustainable future.

Hexagon's Safety, Infrastructure & Geospatial division improves the resilience and sustainability of the world's critical services and infrastructure. Our solutions turn complex data about people, places and assets into meaningful information and capabilities for better, faster decision-making in public safety, utilities, defense, transportation and government.

Hexagon (Nasdaq Stockholm: HEXA B) has approximately 22,000 employees in 50 countries and net sales of approximately 4.3bn EUR. Learn more at [hexagon.com](https://www.hexagon.com) and follow us [@HexagonAB](https://twitter.com/HexagonAB).

## Copyright

© 2022 Hexagon AB and/or its subsidiaries and affiliates. All rights reserved

Warning: The product made the subject of this documentation, including the computer program, icons, graphical symbols, file formats, audio-visual displays and documentation (including this documentation) (collectively, the "Subject Product") may be used only as permitted under the applicable software license agreement, and subject to all limitations and terms applicable to use of the Subject Product therein. The Subject Product contains confidential and proprietary information of Intergraph Corporation, a member of the Hexagon Group of companies ("Hexagon"), its affiliates, and/or third parties. As such, the Subject Product is protected by patent, trademark, copyright and/or trade secret law and may not be transferred, assigned, provided, or otherwise made available to any third party in violation of applicable terms and conditions cited further below.

## Terms of Use

By installing, copying, downloading, accessing, viewing, or otherwise using the Subject Product, you agree to be bound by the terms of the EULA found here:

[https://www.hexagonsafetyinfrastructure.com/-/media/Legal/Hexagon/SI/Licenses/EULA\\_SA\\_SIG-Eng\\_062021.pdf](https://www.hexagonsafetyinfrastructure.com/-/media/Legal/Hexagon/SI/Licenses/EULA_SA_SIG-Eng_062021.pdf).

## Disclaimers

Hexagon and its suppliers believe the information in this publication is accurate as of its publication date. Hexagon is not responsible for any error that may appear in this document. The information and the software discussed in this document are subject to change without notice.

Language Translation Disclaimer: The official version of the Documentation is in English. Any translation of this document into a language other than English is not an official version and has been provided for convenience only. Some portions of a translation may have been created using machine translation. Any translation is provided "as is." Any discrepancies or differences occurring in a translation versus the official English version are not binding and have no legal effect for compliance or enforcement purposes. Hexagon disclaims any and all warranties, whether express or implied, as to the accuracy of any translation.

Reasonable efforts have been made to provide an accurate translation; however, no translation, whether automated or provided by human translators is perfect. If any questions arise related to the accuracy of the information contained in a translated version of Documentation, please refer to its





official English version. Additionally, some text, graphics, PDF documents, and/or other accompanying material may not have been translated.

### Links To Third Party Websites

This Document may provide links to third party websites for your convenience and information. Third party websites will be governed by their own terms and conditions. Hexagon does not endorse companies or products to which it links.

Third party websites are owned and operated by independent parties over which Hexagon has no control. Hexagon shall not have any liability resulting from your use of the third party website. Any link you make to or from the third party website will be at your own risk and any information you share with the third party website will be subject to the terms of the third party website, including those relating to confidentiality, data privacy, and security.

Hexagon provides access to Hexagon international data and, therefore, may contain references or cross references to Hexagon products, programs and services that are not announced in your country. These references do not imply that Hexagon intends to announce such products, programs or services in your country.

### Revisions

Hexagon reserves the right to revise these Terms at any time. You are responsible for regularly reviewing these Terms. Your continued use of this Document after the effective date of such changes constitutes your acceptance of and agreement to such changes.

### Questions

[Contact us](#) with any questions regarding these Terms.